

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

Thomas B. Meehan J. Franklin Meehan S. Mendelson Meehan

Founded 1854 by Thomas Meehan

Thomas Meehan & Sons

WHOLESALE NURSERYMEN

and

TREE SEEDSMEN

TRADE LIST

SPRING, 1916

This Catalogue Cancels all Previous Price Lists

Prices Net No Discounts


WHOLESALE DEPARTMENT

Dresher P. O., Penna.

Bell Telephone Ambler 226-W

Western Union, Ambler, Pa.

275 ACRES



TRADE LIST

Spring, 1916

CUSTOMERS are requested to state the mode of conveyance by which they desire their trees forwarded. When no route is named, we forward to the best of our judgment, without liability for error or delay.

RESPONSIBILITY.—After goods are placed on board cars here, we assume no responsibility for their safe or prompt delivery, or any injury caused by delay in delivery by the transportation company.

ALL CLAIMS must be made upon receipt of goods.

TERMS CASH, on or before delivery to express or railroad agents, unless by special arrangement.

Two hundred and fifty, twenty-five or five of any one variety will be furnished by the thousand, hundred and ten rates, respectively, but single plants of one or more varieties will not be sold at less than 15 cents each, except Vines and Herbaceous Plants, the minimum price of which will be 10 cents each.

PACKING CHARGED EXTRA, but only sufficient to cover cost of time and material consumed in the work.

POST OFFICE ORDERS payable at Dresher P. O., Montgomery County, Penna.

WESTERN UNION TELEGRAPH, AMBLER, PA. Use Nurserymen's Telegraphic Code or "A B C" Code, 4th edition.

VISITORS are always welcome and should take train at the Reading Terminal, 12th and Market Streets, Philadelphia, for **Camp Hill Station**, or at Broad Street Station, Pennsylvania R. R., for **Fort Hill Station**. Be sure that the train stops at these stations.

NOTICE.—It is necessary that you should **TELEPHONE** us (Bell Phone, Ambler 226-W; Keystone Phone, Jenkintown 652-Y), in advance of your coming, so that we can send a carriage to the station for you. Our office is $2\frac{1}{2}$ miles from either station.

CERTIFICATE OF INSPECTION

Our nurseries are inspected several times each year, by inspectors of the Entomological Division of the Department of Agriculture of the State of Pennsylvania, and are free from insect pests and diseases. A certificate of the Department is attached to all shipments, and will also be furnished to customers if desired.

Deciduous Trees

It is an old saying that "The best is the cheapest in the long run" and this applies probably more nearly to nursery stock than any other thing. The difference in price between a poor tree and a good tree is comparatively little, only a few cents, but the results cannot be measured in dollars and cents.

Our trees are frequently transplanted, to establish a good root system, they are "staked" so that every tree is grown with a perfectly straight trunk and the heads of the trees are kept pruned into symmetrical shape. Our soil is heavily fertilized and the trees are given constant cultivation and no effort spared to produce the very best quality. These facts should all be taken into consideration when comparing our prices with those of other nurseries.

| | | Per 10 | Per 100 |
|---|-------|--------|---------|
| Acer campestre, English Cork Maple | | | |
| 2 to 3 ft. | | 1 75 | 15 00 |
| 4 to 6 ft. | | 3 00 | 25 00 |
| 6 to 8 ft. | | 4 00 | 35 00 |
| " dasycarpum, (eriocarpum) Silver Maple | | | |
| 1 1/4 to 2 in. cal. | | 6 50 | |
| 2 to 2 1/4 in. cal. | | 7 50 | |
| 2 1/4 to 2 1/2 in. cal. | | 10 00 | |
| 2 1/2 to 2 3/4 in. cal. | | 12 50 | |
| 2 3/4 to 3 in. cal. | | 13 50 | |
| 3 to 3 1/2 in. cal. | | 17 50 | |
| " dasycarpum Wieri, Wier's cutleaved Maple | | | |
| 1 1/4 to 1 1/2 in. cal. | | 6 00 | 50 00 |
| 1 1/2 to 1 3/4 in. cal. | | 7 50 | 65 00 |
| 1 3/4 to 2 in. cal. | | 12 50 | 100 00 |
| 2 to 2 1/4 in. cal. | | 13 50 | |
| 2 1/2 to 3 in. cal. | | 20 00 | |
| " Negundo, Ash-leaved Maple, Box Elder | | | |
| 6 to 8 ft. | | 2 25 | 20 00 |
| 8 to 10 ft. | | 2 50 | 22 50 |
| " Pennsylvanicum (striatum) Striped Maple, Moosewood | | | |
| 4 to 6 ft. | | 5 00 | |
| 6 to 8 ft. | | 7 50 | |

Norway Maples

Our Norway Maples all have good, straight trunks and branched just right for street planting. They have been several times transplanted and have good fibrous roots.

Mr. John W. Hutchison, Purchasing Agent, Central Park, N. Y., after inspecting and purchasing one hundred of our Specimen Norway Maples, told us that our block of these trees was the finest and most perfect and uniform lot of Norway Maples on the market today. They are planted ten by ten feet apart, have perfectly straight stems, of even height and all evenly branched from the ground.

Acer platanoides, Norway Maple

| | | | |
|-------------------------|-------|------|-------|
| 6 to 8 ft. | | 2 75 | 25 00 |
| 8 to 10 ft. | | 3 75 | 35 00 |
| 1 1/4 to 1 1/2 in. cal. | | 6 00 | 55 00 |

| <i>Acer platanoides</i> , Norway Maple (Cont.) | Per 10 | Per 100 |
|---|--------|---------|
| 1½ to 1¾ in. cal. | 8 00 | 75 00 |
| 1¾ to 2 in. cal. | 12 50 | 100 00 |
| 2 to 2¼ in. cal. | 13 50 | 125 00 |
| 2¼ to 2½ in. cal. | 15 00 | 135 00 |
| 2½ to 2¾ in. cal. | 17 50 | 150 00 |
| 2¾ to 3 in. cal. | 22 50 | 200 00 |
| 3 to 3½ in. cal. | 27 50 | 250 00 |
| 3½ to 4 in. cal. | 32 50 | 300 00 |
| 4 to 5 in. cal. | 40 00 | 350 00 |
| 2½ to 2¾ in. cal. specimen | 27 50 | 250 00 |
| 2¾ to 3 in. cal. specimen | 30 00 | 275 00 |
| 3 to 3½ in. cal. specimen | 32 50 | 300 00 |
| 3½ to 4 in. cal. specimen | 37 50 | 350 00 |
| 4 to 5 in. cal. specimen | 40 00 | |
| " <i>platanoides Schwedleri</i> , Schwedler's purple-leaved Maple | | |
| 6 to 8 ft. | 7 50 | 60 00 |
| 1¼ to 1½ in. cal. | 12 50 | 100 00 |
| 1½ to 1¾ in. cal. | 13 50 | 125 00 |
| 1¾ to 2 in. cal. | 16 50 | 150 00 |
| 2 to 2¼ in. cal. | 20 00 | 175 00 |
| 2¼ to 2½ in. cal. | 22 50 | 200 00 |
| 2½ to 2¾ in. cal. | 25 00 | |
| 2¾ to 3 in. cal. | 27 50 | |
| 3 to 3½ in. cal. | 30 00 | |
| " <i>rubrum</i> , Red or Scarlet Maple | | |
| 3 to 4 ft. | 2 75 | 25 00 |
| 4 to 6 ft. | 3 75 | 35 00 |
| 6 to 8 ft. | 6 00 | 50 00 |
| " <i>saccharum</i> , Sugar or Rock Maple | | |
| 6 to 8 ft. | 2 75 | 25 00 |
| 1¼ to 1½ in. cal. | 6 00 | |
| 1½ to 1¾ in. cal. | 10 00 | |
| 1¾ to 2 in. cal. | 13 50 | |
| 2 to 2¼ in. cal. | 15 00 | |
| 2¼ to 2½ in. cal. | 17 50 | |
| 2½ to 2¾ in. cal. | 20 00 | |
| 3 to 3½ in. cal. | 30 00 | |
| " <i>spicatum</i> , Mountain Maple | | |
| 2 to 3 ft. | 3 00 | |
| " <i>Tataricum</i> , Tartarian Maple | | |
| 2 to 3 ft. | 3 00 | 25 00 |
| 3 to 4 ft. | 3 50 | 30 00 |
| 6 to 8 ft. | 6 00 | |
| " <i>Tataricum Ginnala</i> | | |
| 3 to 4 ft. | 2 25 | 20 00 |

Continued page 4

Board of Park Commissioners

Minneapolis, Minn.

Edmund J. Phelps, Pres. Thomas Voegeli, Vice Pres.
Theodore Wirth, Superintendent
C. A. Bossen, Asst. Superintendent
J. A. Ridgeway, Secretary
C. J. Rockwood, Attorney

May 22, 1914.

Thomas Meehan & Sons,
Dresher, Pa.

Dear Sirs:—

I wish to inform you that the shipment of Wier's cut-leaf maple arrived in good condition yesterday. They are the finest lot of trees it has been my privilege to receive for a good many years.

I also want to compliment you on the care with which they have been dug, which is characteristic of all the goods received from you by us. If all nurserymen were as careful in digging and packing their goods as you are we would have very little to complain of on that account. I have had some great disappointments along this line during the past spring and it gives me pleasure to be able to write a letter of commendation as I have occasion to do now.

With kind regards, I remain,
Yours very truly,

BOARD OF PARK COMMISSIONERS,
Theodore Wirth, Supt.

TW-AD

Japanese Maples

"American Grown" is a very fitting remark at this time, and is particularly suited in connection with our Japanese Maples which are all "Pennsylvania grown." Why buy cheap, uneven, hide-bound foreign stock when you can get the very best here at reasonable prices and every plant guaranteed true to name.

| | | Per 10 | Per 100 |
|---|-------|--------|---------|
| Acer Japonicum, Green-leaved | | | |
| 1½ to 2 ft. | | 6 50 | |
| 4 to 4½ ft. | | 17 50 | |
| 5 to 5½ ft. | | 20 00 | |
| 6 to 6½ ft. | | 25 00 | |
| 7 to 7½ ft. | | 30 00 | |
| 8 to 8½ ft. | | 35 0 | |
| " Japonicum, Standard or Tree-form | | | |
| 6 to 6½ ft. | | 25 00 | |
| 7 to 7½ ft. | | 30 00 | |
| 8 to 8½ ft. | | 40 00 | |
| " Japonicum aconitifolium, Green-leaved | | | |
| 2½ to 3 ft. | | 10 00 | |
| 3 to 3½ ft. | | 12 50 | |
| 3½ to 4 ft. | | 15 00 | |
| 4 to 4½ ft. | | 17 50 | |
| " Japonicum aureum, Golden-leaved | | | |
| 15 to 18 in. | | 6 50 | |
| 1½ to 2 ft. | | 10 00 | |
| " Japonicum palmatum, Green-leaved | | | |
| 4 to 5 ft. | | 17 50 | |
| 5 to 5½ ft. | | 20 00 | |
| 6 to 6½ ft. | | 25 00 | |
| " polymorphum, Green-leaved | | | |
| 2 to 3 ft. | | 6 00 | 50 00 |
| 3 to 4 ft. | | 10 00 | |
| 4 to 4½ ft. | | 15 00 | |
| 5 to 5½ ft. | | 20 00 | |
| 6 to 6½ ft. | | 22 50 | |
| " polymorphum ampelopsilobum, Green-leaved | | | |
| 1½ to 2 ft. | | 6 50 | |
| 2 to 2½ ft. | | 7 50 | |
| 2½ to 3 ft. | | 10 00 | |
| 3 to 3½ ft. | | 12 50 | |
| 4 to 4½ ft. | | 17 50 | |
| 5 to 5½ ft. | | 20 00 | |
| " polymorphum atropurpureum, Blood-leaved | | | |
| 2 to 3 ft. | | 10 00 | |
| 3 to 4 ft. | | 12 50 | |
| 4 to 5 ft. | | 15 00 | |
| 5 to 6 ft. | | 20 00 | |
| 6 to 6½ ft. | | 25 00 | |
| 7 to 7½ ft. | | 30 00 | |
| " polymorphum atropurpureum, Standard or Tree-form | | | |
| 5 to 5½ ft. | | 20 00 | |
| 5½ to 6 ft. | | 22 50 | |
| 6 to 6½ ft. | | 25 00 | |
| 6½ to 7 ft. | | 27 50 | |
| 7 to 7½ ft. | | 30 00 | |

| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| Acer (Cont.) | | | |
| " <i>polymorphum cristatum</i> , Green-crested-leaved | | | |
| 2 to 2½ ft. | 10 00 | | |
| 2½ to 3 ft. | 12 50 | | |
| " <i>polymorphum dissectum</i> , Green cut-leaved | | | |
| 1½ to 2 ft. | 7 50 | | |
| 2 to 2½ ft. | 10 00 | | |
| 2½ to 3 ft. | 12 50 | | |
| 3 to 3½ ft. | 15 00 | | |
| 4 to 4½ ft. specimen | 22 50 | | |
| 4½ to 5 ft. specimen | 25 00 | | |
| 5 to 5½ ft. specimen | 30 00 | | |
| " <i>polymorphum dissectum</i> , Standard or Tree-form | | | |
| 4 to 4½ ft. | 15 00 | | |
| 4½ to 5 ft. | 17 50 | | |
| 5 to 5½ ft. | 20 00 | | |
| 5½ to 6 ft. | 22 50 | | |
| 6 to 6½ ft. | 25 00 | | |
| 7 to 7½ ft. | 30 00 | | |
| " <i>polymorphum dissectum atropurpureum</i> , Purple-cut-leaved | | | |
| 1½ to 2 ft. | 7 50 | | |
| 2 to 2½ ft. | 10 00 | | |
| 2½ to 3 ft. | 12 50 | | |
| 3 to 3½ ft. specimen | 17 50 | | |
| 3½ to 4 ft. specimen | 20 00 | | |
| 4 to 4½ ft. specimen | 22 50 | | |
| 4½ to 5 ft. | 25 00 | | |
| 5 to 5½ ft. | 27 50 | | |
| 5½ to 6 ft. | 30 00 | | |
| " <i>polymorphum dissectum atropurpureum</i> , Tree-form | | | |
| 4 to 4½ ft. | 15 00 | | |
| 4½ to 5 ft. | 17 50 | | |
| 5 to 5½ ft. | 20 00 | | |
| 5½ to 6 ft. | 22 50 | | |
| 6 to 6½ ft. | 25 00 | | |
| " <i>polymorphum pinnatifolium atropurpureum</i> | | | |
| 2 to 2½ ft. | 10 00 | | |
| 2½ to 3 ft. | 12 50 | | |
| 3 to 3½ ft. | 15 00 | | |
| 3½ to 4 ft. | 20 00 | | |
| " <i>polymorphum reticulatum</i> , Green and yellow variegated | | | |
| 2 to 2½ ft. | 10 00 | | |
| 2½ to 3 ft. | 12 50 | | |
| 3 to 3½ ft. | 15 00 | | |
| 3½ to 4 ft. | 20 00 | | |
| 4 to 4½ ft. | 22 50 | | |

Aesculus rubra, see *Pavia rubra*

| | | |
|---|-------|--|
| " <i>Hippocastaneum</i> , European Horse Chestnut | | |
| 6 to 8 ft. | 4 00 | |
| 1½ to 1½ in. cal. | 6 00 | |
| 1½ to 1¾ in. cal. | 7 50 | |
| 1¾ to 2 in. cal. | 10 00 | |
| 2 to 2½ in. cal. | 15 00 | |
| 2½ to 3 in. cal. | 17 50 | |
| 3 to 3½ in. cal. | 20 00 | |

W. A. Marshall
Real Estate and Lumber
30 N. Eighth St.
Shamokin, Pa.

July 21st, 1915.

Thomas Meehan & Sons,
Dresher, Pa.

Gentlemen:—

I wish to congratulate you on the fine lot of two hundred (200) Norway Maple Trees that I purchased from you for the Shamokin Cemetery, Shamokin, Pa., last spring. Not a single tree has died and all are doing fine. This is due partly to the fine stock, all nice fine, clean trees and to the magnificent root system, a fine hair-like mass of fibrous roots with enough laterals to hold the tree firmly. These trees have been commended by all who have seen them. You certainly deserve much credit for sending out such stock.

Yours truly,
W. A. MARSHALL,
Treasurer, Shamokin Cemetery.

| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| Aesculus (Cont.) | | | |
| " Hippocastaneum alba plena, double white flowering | | | |
| 6 to 8 ft. | 7 50 | | |
| 1½ to 2 in. cal. | 13 50 | | |
| 2 to 2½ in. cal. | 17 50 | | |
| 2½ to 3 in. cal. | 20 00 | | |
| 3 to 3½ in. cal. | 22 50 | | |
| 3½ to 4 in. cal. | 25 00 | | |
| 4 to 5 in. cal. | 30 00 | | |
| " Hippocastaneum Briotti, Red flowering | | | |
| Horse Chestnut | | | |
| 6 to 8 ft. | 10 00 | | |
| Ailanthus glandulosa (Japonica) Tree of Heaven | | | |
| 5 to 6 ft. | 2 25 | 20 00 | |
| 10 to 12 ft. | 5 00 | | |
| 12 to 14 ft. | 7 50 | | |
| Alnus glutinosa, European Alder | | | |
| 6 to 8 ft. | 2 75 | 25 00 | |
| " incana | | | |
| 6 to 8 ft. | 2 75 | | |
| 8 to 10 ft. | 3 50 | | |
| Amygdalus Persica, see Persica, shrub section | | | |
| Andromeda arborea, see Oxydendron | | | |
| Aralia, see shrub section | | | |
| Betula alba, European White Birch | | | |
| 4 to 6 ft. | 2 75 | 25 00 | |
| " alba laciniata, Cut-leaved Weeping White Birch | | | |
| 6 to 8 ft. | 6 00 | 55 00 | |
| " alba pyramidalis, Pyramidal White Birch | | | |
| 6 to 8 ft. | 10 00 | | |
| 8 to 10 ft. | 15 00 | | |
| " lenta, Sweet, Cherry or Black Birch | | | |
| 6 to 8 ft. | 4 00 | 35 00 | |
| 8 to 10 ft. | 6 00 | 50 00 | |
| " nigra (rubra) Water Birch | | | |
| 3 to 4 ft. | 3 00 | | |
| 4 to 5 ft. | 4 00 | | |
| " papyrifera (papyracea) Paper or Canoe Birch | | | |
| 6 to 8 ft. | 4 00 | 35 00 | |
| 8 to 10 ft. | 6 00 | 50 00 | |
| 12 to 14 ft. | 12 50 | 100 00 | |
| " populifolia, Poplar or American White Birch | | | |
| 4 to 6 ft. | 3 00 | 25 00 | |
| Carpinus Americana (Carolina) American Hornbeam | | | |
| 5 to 6 ft. | 3 50 | | |
| 6 to 7 ft. | 5 00 | | |
| Catalpa Bungei, Standards | | | |
| 2 year heads, 6 ft. stems | 6 00 | | |
| " speciosa, Western Catalpa | | | |
| 6 to 8 ft. | 1 75 | 15 00 | |
| 8 to 10 ft. | 2 25 | 20 00 | |
| 1¼ to 1½ in. cal. | 2 75 | 25 00 | |
| 1½ to 1¾ in. cal. | 3 50 | 30 00 | |
| 1¾ to 2 in. cal. | 5 00 | 45 00 | |

| | | Per 10 | Per 100 |
|--|--|--------|---------|
| Cedrela sinensis | | | |
| 4 to 6 ft. | | 3 50 | |
| 6 to 8 ft. | | 5 00 | |
| 8 to 10 ft. | | 7 50 | |
| 10 to 12 ft. | | 10 00 | |
| 12 to 14 ft. | | 15 00 | |
| Celtis occidentalis , Nettle, Hackberry | | | |
| 6 to 8 ft. | | 5 00 | |
| 1½ to 1½ in. cal. | | 6 50 | |
| 1½ to 1¾ in. cal. | | 7 50 | |
| 1¾ to 2 in. cal. | | 10 00 | |
| Cerasus Avium rosea fl. pl. double pink flowering Cherry | | | |
| 5 to 6 ft. | | 6 50 | |
| Cercidiphyllum Japonicum | | | |
| 8 to 10 ft. | | 10 00 | |
| Cercis canadensis , see Shrub section | | | |
| Cladastris tinctoria , Yellow-wood | | | |
| 6 to 7 ft. | | 10 00 | |
| Cornus florida and rubra , see shrub section | | | |
| Cercis canadensis , see shrub section | | | |
| Cytissus Laburnum , see Laburnum shrub section | | | |
| Fagus sylvatica asplenifolia , Cut-leaved Beech | | | |
| 3 to 4 ft. | | 7 50 | |
| " sylvatica Riversi, Blood-leaved Beech | | | |
| 5 to 6 ft. | | 10 00 | |
| 6 to 8 ft. | | 12 50 | |
| Fraxinus Americana , White Ash | | | |
| 1½ to 1¾ in. cal. | | 6 50 | 50 00 |
| 1¾ to 2 in. cal. | | 10 00 | 75 00 |
| 2 to 2¼ in. cal. | | 13 50 | 125 00 |
| 2¼ to 2½ in. cal. | | 17 50 | 150 00 |
| 2½ to 2¾ in. cal. | | 20 00 | |
| " quadrangulata , Blue Ash | | | |
| 6 to 8 ft. | | 4 00 | |
| " viridis (<i>lanceolata</i>) Green Ash | | | |
| 4 to 5 ft. | | 2 50 | 20 00 |
| 8 to 10 ft. | | 3 50 | 30 00 |
| Ginkgo , see Salisburia | | | |
| Gleditschia triacanthos , Honey Locust | | | |
| 4 to 6 ft. | | 2 25 | 20 00 |
| 6 to 8 ft. | | 3 25 | 30 00 |
| 8 to 10 ft. | | 6 50 | 50 00 |
| 1¼ to 1½ in cal. | | 8 50 | 75 00 |
| 1½ to 1¾ in. cal. | | 10 00 | |
| 1¾ to 2 in. cal. | | 12 50 | |
| 2 to 2½ in. cal. | | 15 00 | |
| Gymnocladus canadensis , (<i>dioica</i>) Kentucky Coffee Tree | | | |
| 8 to 9 ft. | | 4 50 | 40 00 |
| 1¼ to 1½ in cal. | | 6 50 | 50 00 |
| 1½ to 1¾ in. cal. | | 7 50 | 60 00 |
| 1¾ to 2 in. cal. | | 10 00 | |
| 2 to 2¼ in. cal. | | 12 50 | |
| 2¼ to 2½ in. cal. | | 15 00 | |
| 2½ to 2¾ in. cal. | | 20 00 | |

W. W. DAVIS, Pres., A. E. FOWLIE, Sec. and Treas. H. K. DAVIS, Vice Pres.

Great Neck Hills

Owned by

Great Neck Improvement Company

Office on the Property

Great Neck Station

Long Island

New York Office

1047 Marbridge Bldg.

1328 Broadway

New York, February 2nd, 1915.

Thomas Meehan & Sons,
Dresher, Fa.

Gentlemen:—

In the spring of 1914 I was entrusted with the preparations for, and selection of, trees for double rows of planting on both sides of a new avenue being laid out at Great Neck Hills, Long Island, a suburban development within twenty-five minutes of the Pennsylvania Station.

The avenue in question will be the most imposing of the newer section of this handsome property, so I visited three States in the selection of trees for this thoroughfare. Being impressed with the quality of your Sweet Gums and your offer to furnish the trees dug with ball of earth and ball enclosed in burlap, and to guarantee 90 per cent. of thrifty, living trees, three months after trees were transplanted, led me to contract with you for 91 Sweet Gums of a uniform habit of growth, allowing therefor a variation in trunk diameter of $2\frac{1}{4}$ to $3\frac{1}{2}$ inches.

In approving your bill this day for settlement in full of final payment, I am pleased to inform you that although soil and atmospheric conditions were most unfavorable to a successful undertaking, the transplanting was most satisfactory and every tree lived.

Yours truly,

C. S. VAN NUIS,
Agronomist for Great Neck Improvement Co.

A NOVEL PROPOSITION

Here is a proposition we made last Spring, and on the strength of it, several large orders were placed with us.

"If you knew that you could get Sweet Gums, a hardy strain, grown from seeds collected as far north as Philadelphia, and get 90 to 100 out of every 100 to grow, would it interest you?

The great objection to using Sweet Gums is the difficulty of getting them to grow. It is the most beautiful tree in cultivation, either as a specimen lawn tree, or for street planting. It would be largely used if successful transplanting could be assured.

We can dig our Sweet Gums with a solid ball of earth sewed in burlap, reducing risk of transplanting to a minimum. See illustration.


Following letter is interesting:

Grand Rapids, Mich.,
December 14, 1914.

Gentlemen:—

Thomas Meehan & Sons.
The 50 Sweet Gums, 8 to 10 ft., purchased of you last Spring, balled in burlap, arrived in the very best possible condition, every tree having made a very substantial growth during the Summer. Every tree is alive.

Very truly yours,
Eugene V. Goebel,
Supt. Parks.



Illustrates how we ball and
Burlap Sweet Gums

When ordering trees be sure to say if you want them balled, as we also offer them dug without ball at regular list price.

Cost of packing trees in bales or boxes would be additional. If sufficient quantities are taken to warrant shipping in car, the freight would be proportionately less, and the cost of box and packing would be saved.

PRICES OF SWEET GUMS BALLED AND BURLAPPED

| | | |
|-------------------------|-------|--------|
| 2 to 2 1/4 in. cal. | 21 50 | 200 00 |
| 2 1/4 to 2 1/2 in. cal. | 24 50 | 220 00 |
| 2 1/2 to 2 3/4 in. cal. | 27 50 | 250 00 |
| 2 3/4 to 3 in. cal. | 30 50 | 280 00 |
| 3 to 3 1/2 in. cal. | 36 50 | |
| 3 1/2 to 4 in. cal. | 40 00 | |

| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| Juglans cinerea , Butternut | | | |
| 4 to 5 ft. | 2 50 | 20 00 | |
| " nigra , Black Walnut | 2 25 | 18 00 | |
| 4 to 5 ft. | 2 25 | 20 00 | |
| " regia , English Walnut, Madeira Nut | 5 00 | | |
| 2 to 3 ft. | 2 25 | 20 00 | |
| 6 to 7 ft. | 5 00 | | |
| Koelreuteria paniculata , Varnish Tree | | | |
| 4 to 6 ft. | 3 25 | 30 00 | |
| 6 to 8 ft. | 5 00 | | |
| Laburnum vulgare , see shrub section | | | |
| Larix Europaea (decidua) European Larch | | | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| 3 to 3½ ft. | 2 25 | 20 00 | |
| 8 to 10 ft. | 7 50 | | |
| 10 to 12 ft. | 12 50 | | |
| " leptolepis (Kaempferi) Japanese Larch | | | |
| 4 to 5 ft. | 10 00 | | |
| Liquidambar styraciflua , Sweet Gum | | | |
| 1½ to 1¾ in. cal. | 12 50 | 100 00 | |
| 1¾ to 2 in. cal. | 13 50 | | |
| 2 to 2¼ in. cal. | 15 00 | 135 00 | |
| 2¼ to 2½ in. cal. | 17 50 | 150 00 | |
| 2½ to 2¾ in. cal. | 20 00 | 175 00 | |
| 2¾ to 3 in. cal. | 25 00 | 200 00 | |
| 3 to 3½ in. cal. | 27 50 | 250 00 | |
| 3½ to 4 in. cal. | 30 00 | | |
| 4 to 5 in. cal. | 40 00 | | |

SEE SPECIAL ANNOUNCEMENT OF LIQUIDAMBAR
BALLED AND BURLAPPED PAGE 10.

| | | | |
|---|-------|--|--|
| Magnolia acuminata , Cucumber Tree | | | |
| 3 to 4 ft. | 3 50 | | |
| 4 to 6 ft. | 4 00 | | |
| " glaucia (Virginiana) Sweet or Swamp Magnolia | | | |
| 4½ to 5 ft. with ball | 15 00 | | |
| 5½ to 6 ft. with ball | 20 00 | | |
| 7 to 8 ft. with ball | 25 00 | | |
| 9 to 10 ft. with ball | 30 00 | | |


MAGNOLIA

Large Flowered Chinese Varieties.

| | | | |
|---|-------|--|--|
| Magnolia alba superba , white | | | |
| 2 to 3 ft. with ball | 10 00 | | |
| 3 to 4 ft. with ball | 13 50 | | |
| 4 to 5 ft. with ball | 15 00 | | |
| " Alexandrina , White, pink center | | | |
| 2 to 3 ft. with ball | 10 00 | | |
| 3 to 4 ft. with ball | 13 50 | | |
| " Lennei , Large, purple-flowered | | | |
| 2 to 3 ft. with ball | 10 00 | | |
| 3 to 4 ft. with ball | 13 50 | | |
| 4 to 5 ft. with ball | 15 00 | | |
| 5 to 6 ft. with ball | 17 50 | | |

Continued page 12

| | | Per 10 | Per 100 |
|---|-------|--------|---------|
| Magnolia (Cont.) | | | |
| “ purpurea (obovata) Purple | | | |
| 3 to 4 ft. with ball | 8 50 | | |
| 4 to 5 ft. with ball | 10 00 | | |
| 5 to 6 ft. with ball | 15 00 | | |
| 6 to 7 ft. with ball | 20 00 | | |
| 6 to 8 ft. extra heavy clumps | 30 00 | | |
| “ Soulangeana , Large pink flowered | | | |
| 2 to 3 ft. with ball | 10 00 | | |
| 3 to 4 ft. with ball | 13 50 | | |
| “ Soulangeana nigra , dark pink flowered | | | |
| 4 to 4½ ft. with ball | 17 50 | | |
| 5 to 5½ ft. with ball | 20 00 | | |
| 6 to 6½ ft. with ball | 25 00 | | |
| “ speciosa , Early pink flowered | | | |
| 3 to 4 ft. with ball | 13 50 | | |
| 4 to 5 ft. with ball | 15 00 | | |
| 5 to 6 ft. with ball | 17 50 | | |
| “ stellata (Halleana) Hall's white star flowered | | | |
| 1½ to 2 ft. with ball | 10 00 | | |
| 2 to 3 ft. with ball | 12 50 | | |
| 3 to 4 ft. with ball | 15 00 | | |
| 5 to 6 ft. with ball | 35 00 | | |
| Malus coronaria (Pyrus) Sweet scented Crab | | | |
| 3 to 4 ft. | 3 50 | 30 00 | |
| 4 to 5 ft. | 4 50 | 40 00 | |
| 6 to 7 ft. | 6 00 | 50 00 | |
| 8 to 10 ft. | 7 50 | 65 00 | |
| “ floribunda atrosanguinea , Single pink | | | |
| 5 to 6 ft. | 3 50 | | |
| “ ioensis , Bechtel's double flowering | | | |
| 3 to 4 ft. | 3 50 | | |
| 4 to 5 ft. | 5 00 | | |
| “ Niedzwetzkyana , single, pink | | | |
| 4 to 5 ft. | 3 50 | | |
| “ Scheideckeri , double pink | | | |
| 5 to 6 ft. | 3 50 | | |
| “ spectabilis , single, white | | | |
| 5 to 6 ft. | 3 50 | | |
| “ Toringo | | | |
| 5 to 6 ft. | 3 50 | | |
| Morus Tatarica , Russian Mulberry | | | |
| 6 to 8 ft. | 1 50 | | |
| “ Tatarica , Meehan's Globe Headed | | | |
| 2 year heads | 12 50 | | |
| “ Tatarica , Tea's Weeping Mulberry | | | |
| 2 year heads | 7 50 | | |
| Negundo , see <i>Acer negundo</i> | | | |
| Ostrya Virginica , Iron Wood | | | |
| 3 to 4 ft. | 4 00 | | |
| 4 to 6 ft. | 5 00 | | |
| 6 to 8 ft. | 7 50 | | |
| Oxydendron arboreum (Andromeda) Sorrel-tree | | | |
| 2 to 3 ft. | 3 50 | | |
| Pavia rubra , Pink flowered Buck-eye | | | |
| 1½ to 2 in. cal. | 7 50 | | |
| 2 to 2½ in. cal. | 10 00 | | |
| Persica , Flowering peach, see shrubs | | | |



Meehan's Globe Head Mulberry

Introduced by us last spring for the first time.

We are frequently asked as to its hardiness. It is a "sport" of the Russian mulberry, and will stand any climate where the Russian mulberry will grow.

It is as hardy as the Tea's Weeping Mulberry and more attractive and better than Catalpa Bungei.

Supply for this year limited. Place your order early to insure delivery.

Price, two year heads \$1.25 each.

Geneva, New York, September 17, 1915.

Thomas Meehan & Sons,
Dresher, Pa.

Gentlemen:—

Regarding the new Globe Headed Mulberry which you sold us last spring, would say that we consider this tree a decided acquisition, especially for use in formal gardens. The fact that it can be kept small makes it more suitable than the Catalpa Bungei for certain situations. We believe it is perfectly hardy, and we expect to propagate it largely.

Very truly yours,

W. & T. SMITH COMPANY.

| | | Per 10 | Per 100 |
|--|--|--------|---------|
| Phellodendron Japonicum | | | |
| 1½ to 1¾ in. cal. | | 10 00 | |
| 2 to 2¼ in. cal. | | 15 00 | |
| 2½ to 2¾ in. cal. | | 20 00 | |
| Platanus orientalis, European Sycamore, Plane | | | |
| 4 to 6 ft. | | 2 25 | 20 00 |
| 6 to 8 ft. | | 2 75 | 25 00 |
| 8 to 10 ft. | | 3 50 | 30 00 |
| 1¼ to 1½ in. cal. | | 6 00 | 50 00 |
| 1½ to 1¾ in. cal. | | 8 50 | 75 00 |
| 1¾ to 2 in. cal. | | 12 50 | 100 00 |
| 2 to 2¼ in. cal. | | 17 50 | 150 00 |
| Populus alba Bolleana, Bolle's Silver Poplar | | | |
| 4 to 6 ft. | | 1 50 | 12 50 |
| 6 to 8 ft. | | 2 00 | 15 00 |
| 8 to 10 ft. | | 3 00 | 25 00 |
| 1¼ to 1½ in. cal. | | 3 50 | |
| 1½ to 2 in. cal. | | 5 00 | |
| 2 to 2½ in. cal. | | 7 50 | |
| 2½ to 3 in. cal. | | 12 50 | |
| " nigra fastigiata, (Italica) Lombardy Poplar | | | |
| 4 to 6 ft. | | 1 50 | 12 50 |
| 6 to 8 ft. | | 1 75 | 15 00 |
| 8 to 10 ft. | | 2 50 | 20 00 |
| 1½ to 1¾ in. cal. | | 5 00 | 40 00 |
| Prunus Pissardi, see shrub section | | | |
| Pyrus Bechtel's and other flowering Apples, see Malus | | | |
| Quercus bicolor (platanoides) Swamp White Oak | | | |
| 6 to 8 ft. | | 8 50 | 75 00 |
| 8 to 10 ft. | | 10 00 | |
| 1¼ to 1½ in. cal. | | 12 50 | 100 00 |
| 1½ to 1¾ in. cal. | | 13 50 | 125 00 |
| 1¾ to 2 in. cal. | | 15 00 | |
| 2 to 2¼ in. cal. | | 17 50 | |
| 2½ to 2½ in. cal. | | 20 00 | |
| 2½ to 2¾ in. cal. | | 25 00 | |
| 3 to 3½ in. cal. | | 30 00 | |
| " coccinea, Scarlet Oak | | | |
| 6 to 8 ft. | | 8 00 | 75 00 |
| 8 to 10 ft. | | 10 00 | 85 00 |
| 1¼ to 1½ in. cal. | | 12 50 | 100 00 |
| 1½ to 1¾ in. cal. | | 13 50 | 125 00 |
| 2¾ to 3 in. cal. | | 30 00 | |
| 3 to 3½ in. cal. | | 35 00 | |
| 3½ to 4 in. cal. | | 40 00 | |
| " imbricaria, Shingle Oak | | | |
| 4 to 6 ft. | | 6 00 | 50 00 |
| 6 to 8 ft. | | 8 00 | 75 00 |
| 8 to 10 ft. | | 10 00 | 85 00 |
| 1¼ to 1½ in. cal. | | 12 50 | 100 00 |
| 1½ to 1¾ in. cal. | | 13 50 | |
| 1¾ to 2 in. cal. | | 17 50 | |

Continued page 15

| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| Quercus (Cont.) | | | |
| “ macrocarpa , Bur or Mossy cup Oak | | | |
| 1½ to 1½ in. cal. | 10 00 | | |
| 1½ to 1¾ in. cal. | 12 50 | | |
| 1¾ to 2 in. cal. | 15 00 | | |
| 2 to 2¼ in. cal. | 17 50 | | |
| 2¼ to 2½ in. cal. | 20 00 | | |
| “ palustris , Pin Oak | | | |
| 6 to 8 ft. | 7 50 | 60 00 | |
| 8 to 10 ft. | 8 50 | 75 00 | |
| 1¼ to 1½ in. cal. | 12 50 | 120 00 | |
| 1½ to 1¾ in. cal. | 15 00 | 125 00 | |
| 1¾ to 2 in. cal. | 17 50 | 150 00 | |
| “ rubra , Red Oak | | | |
| 4 to 6 ft. | 6 50 | 60 00 | |
| 6 to 8 ft. | 8 50 | 75 00 | |
| 1¼ to 1½ in. cal. | 12 50 | 100 00 | |
| 2¼ to 2½ in. cal. | 20 00 | | |
| “ tinctoria (velutina) Black Oak | | | |
| 6 to 8 ft. | 7 50 | | |
| 8 to 10 ft. | 8 50 | | |
| 1¼ to 1½ in. cal. | 10 00 | | |
| 1½ to 2 in. cal. | 15 00 | | |
| 2 to 2½ in. cal. | 17 50 | | |
| 2½ to 3 in. cal. | 20 00 | | |
| 3 to 3½ in. cal. | 25 00 | | |
| Robinia pseudo-acacia , Yellow or Black Locust | | | |
| 5 to 6 ft. | 1 25 | 10 00 | |
| 6 to 8 ft. | 1 50 | 12 00 | |
| 8 to 10 ft. | 1 75 | 15 00 | |
| 10 to 12 ft. | 3 50 | 30 00 | |
| Salisburia adiantifolia (Ginkgo biloba) Maidenhair Tree | | | |
| 4 to 6 ft. | 3 00 | 25 00 | |
| 6 to 8 ft. | 4 00 | 35 00 | |
| 1¼ to 1½ in. cal. | 8 50 | | |
| 1½ to 1¾ in. cal. | 13 50 | 100 00 | |
| 1¾ to 2 in. cal. | 17 50 | 150 00 | |
| 2 to 2¼ in. cal. | 20 00 | | |
| 2¼ to 2½ in. cal. | 22 50 | | |
| Salix alba , White Willow | | | |
| 6 to 8 ft. | 3 00 | 25 00 | |
| 8 to 10 ft. | 3 75 | 35 00 | |
| “ Babylonica , Babylonian Weeping Willow | | | |
| 8 to 10 ft. | 3 50 | | |
| 1½ to 2 in. cal. | 6 00 | | |
| “ Babylonica aurea pendula , Golden Weeping Willow | | | |
| 6 to 8 ft. | 2 50 | | |
| “ caprea , Pussy Willow | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| 3½ to 4 ft. | 1 75 | 15 00 | |
| 8½ to 9 ft. | 7 50 | | |
| “ pentandra (laurifolia) Laurel-leaved Willow | | | |
| 10 to 12 ft. | 5 00 | | |

Continued page 16

| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| Salix (Cont.) | | | |
| " <i>regalis</i> , White-leaved Willow | | | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| 5 to 6 ft. | 2 25 | 20 00 | |
| 6 to 8 ft. | 3 00 | 25 00 | |
| " <i>rosmarinifolia</i> (<i>incana petiolaris</i>) Rosemary Willow | | | |
| 3 to 4 ft. bushy | 1 75 | 15 00 | |
| Sophora Japonica , Pagoda Tree | | | |
| 2 to 3 ft. | 2 00 | | |
| 3 to 4 ft. | 3 50 | | |
| 4 to 5 ft. | 5 00 | | |
| 5 to 6 ft. | 6 00 | | |
| 6 to 8 ft. | 7 50 | | |
| 1 inch cal. | 8 50 | | |
| 1½ to 1½ in. cal. | 10 00 | | |
| Sorbus Aucuparia , European Mt. Ash, Rowan Tree | | | |
| 6 to 8 ft. | 3 50 | | |
| " <i>Aucuparia aria lutescens</i> , Silver-leaved | | | |
| 6 to 7 ft. | 5 00 | | |
| Styrax Japonica , see shrub section | | | |
| Taxodium distichum , Bald or Deciduous Cypress | | | |
| 2 to 3 ft. | 2 50 | | |
| 3 to 4 ft. | 3 00 | | |
| 4 to 5 ft. | 3 50 | | |
| Tilia alba argentea (<i>tomentosa</i>) White-leaved Linden | | | |
| 1½ to 1¾ in. cal. | 15 00 | | |
| 1¾ to 2 in. cal. | 17 50 | 175 00 | |
| 2 to 2¼ in. cal. | 20 00 | 200 00 | |
| 2¼ to 2½ in. cal. | 22 50 | 225 00 | |
| 2½ to 2¾ in. cal. | 25 00 | 250 00 | |
| 2¾ to 3 in. cal. | 27 50 | 275 00 | |
| 3 to 3½ in. cal. | 30 00 | 300 00 | |
| 3½ to 4 in. cal. | 35 00 | 350 00 | |
| 4 to 5 in. cal. | 40 00 | | |
| " <i>Americana</i> (<i>Caroliniana</i>) American Linden, Basswood | | | |
| 6 to 8 ft. | 3 50 | 35 00 | |
| 8 to 10 ft. | 4 00 | 40 00 | |
| 1¼ to 1½ in. cal. | 5 00 | 50 00 | |
| 1½ to 1¾ in. cal. | 6 50 | 65 00 | |
| 1¾ to 2 in. cal. | 9 00 | 90 00 | |
| 2 to 2¼ in. cal. | 10 00 | 100 00 | |
| 2¼ to 2½ in. cal. | 12 50 | 125 00 | |
| 2½ to 2¾ in. cal. | 15 00 | 150 00 | |
| 2¾ to 3 in. cal. | 20 00 | 200 00 | |
| 3 to 3½ in. cal. | 25 00 | 250 00 | |
| 3½ to 4 in. cal. | 30 00 | 300 00 | |
| 4 to 4½ in. cal. | 35 00 | 350 00 | |
| " <i>dasytilla</i> (<i>euchlora</i>) Crimean Linden | | | |
| 1¾ to 2 in. cal. | 15 00 | 150 00 | |
| 2 to 2¼ in. cal. | 17 50 | 175 00 | |
| 2¼ to 2½ in. cal. | 20 00 | 200 00 | |
| 2½ to 2¾ in. cal. | 22 50 | 225 00 | |
| 2¾ to 3 in. cal. | 25 00 | 250 00 | |
| 3 to 3½ in. cal. | 27 50 | 275 00 | |
| 3½ to 4 in. cal. | 30 00 | 300 00 | |



Tilia dasystyla (euchlora) Yellow Twigged Linden

The yellow-twigged or Crimean Linden is a tree which in the past has been little used for street planting. Four years ago we induced the Shade Tree Commission of East Orange, New Jersey, to plant one street with these trees to prove their desirability for this purpose. In a letter received from Mr. Ernest H. Bennett, Supervising Foreman for the Commission, he writes "the trees were planted in the Fall of 1911, on Kenwood place. There are in all seventy-five trees in perfect condition, not having lost a single tree. The trees are very uniform in size and make a beautiful showing, and I predict that this will be one of our most beautiful streets, they are so regular in their growth. We feel proud of our trees."

The tree is very symmetrical in its growth. The foliage is light green with bright shiny surface, remaining on the tree without changing color until late in the fall.



Tilia Europaea, European Linden

Our stock of European Lindens in the 3 to 3½ and 3½ to 4 inch calliper grades consists of about twelve hundred trees, all of which have been transplanted within the last three years. Every tree has a perfectly straight trunk, a well developed head, and is branched from six to seven feet from the ground. They are perfect trees for street planting.

| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| Tilia (Cont.) | | | |
| " Europaea , European Linden | | | |
| 2 to 2½ in. cal. | 15 00 | | |
| 2½ to 2½ in. cal. | 17 50 | | |
| 2½ to 2¾ in. cal. | 20 00 | 200 00 | |
| 2¾ to 3 in. cal. | 22 50 | 225 00 | |
| 3 to 3½ in. cal. | 30 00 | 300 00 | |
| 3½ to 4 in. cal. | 35 00 | 350 00 | |
| 4 to 5 in. cal. | 40 00 | 400 00 | |
| " platyphyllus , Broad-leaved European Linden | | | |
| 1½ to 1¾ in. cal. | 6 00 | | |
| 1¾ to 2 in. cal. | 8 50 | | |
| 2½ to 2½ in. cal. | 12 50 | | |
| 2½ to 2¾ in. cal. | 17 50 | | |
| 2¾ to 3 in. cal. | 20 00 | | |
| 3 to 3½ in. cal. | 25 00 | | |
| 3½ to 4 in. cal. | 30 00 | | |
| Ulmus Americana , White, or American Elm | | | |
| 1¼ to 1½ in. cal. | 5 00 | 50 00 | |
| 1½ to 1¾ in. cal. | 6 00 | 60 00 | |
| 1¾ to 2 in. cal. | 10 00 | 100 00 | |
| 2 to 2¼ in. cal. | 13 50 | 135 00 | |
| 2½ to 2½ in. cal. | 17 50 | 175 00 | |
| " Americana | | | |
| 2½ to 2¾ in. cal. | 22 50 | 225 00 | |
| 2¾ to 3 in. cal. | 25 00 | | |
| 3 to 3½ in. cal. | 27 50 | | |
| 3½ to 4 in. cal. | 30 00 | | |
| 4 to 5 in. cal. | 35 00 | | |
| 2½ to 2¾ in. cal. specimen | 30 00 | | |
| 2¾ to 3 in. cal. specimen | 35 00 | | |
| 3 to 3½ in. cal. specimen | 40 00 | | |
| 3½ to 4 in. cal. specimen | 50 00 | | |
| 4 to 5 in. cal. specimen | 60 00 | | |
| 5 to 6 in. cal. specimen | 70 00 | | |
| " Campestris Wheatleyii | | | |
| 1¼ to 1½ in. cal. | 12 50 | 100 00 | |
| 1½ to 1¾ in. cal. | 13 50 | 125 00 | |
| " latifolia , Scotch Elm | | | |
| 6 to 8 ft. | 2 75 | 25 00 | |
| 8 to 10 ft. | 4 00 | 35 00 | |
| 1¼ to 1½ in. cal. | 5 00 | 45 00 | |
| 1½ to 1¾ in. cal. | 7 50 | 60 00 | |
| 1¾ to 2 in. cal. | 10 00 | 85 00 | |
| 2 to 2¼ in. cal. | 12 50 | 100 00 | |
| 2¼ to 2½ in. cal. | 13 50 | 125 00 | |
| 2½ to 2¾ in. cal. | 15 00 | | |
| 3 to 3½ in. cal. | 20 00 | | |
| " parvifolia , Japanese Elm | | | |
| 1 to 1¼ in. cal. | 6 00 | | |
| 1¼ to 1½ in. cal. | 7 50 | | |
| 1½ to 1¾ in. cal. | 10 00 | | |
| 1¾ to 2 in. cal. | 15 00 | | |

| <i>Ulmus</i> (Cont.) | | Per 10 | Per 100 |
|--|-------|--------|---------|
| “ <i>racemosa</i> , Cork-barked Elm | | | |
| 2½ to 2¾ in. cal. | 20 00 | | |
| 3 to 3½ in. cal. | 25 00 | | |
| <i>Virgilea lutea</i> , see <i>Cladastris</i> | | | |
| <i>Zanthoxylum piperitum</i> , Japanese Prickley Ash | | | |
| 3½ to 4 ft. | 3 50 | | |
| 4½ to 5 ft. | 5 00 | | |

The State Teachers' College Greeley, Colorado

R. G. Dempsey

Superintendent of Grounds

June 23, 1915.

Thomas Meehan & Sons,
Dresher, Pa.

Gentlemen:—

The trees and shrubs which were ordered of you have been received and are planted and all growing nicely. We wish to express our entire satisfaction with the quality of the goods and the thorough packing.

We have been using your trees, shrubs, roses and herbaceous plants for eight years and they have always given complete satisfaction. We have at present about 20,000 of your plants on our campus and they are all doing fine.

Very truly yours,
R. G. DEMPSEY,
Supt. of Grounds.

Deciduous Shrubs

Per 10 Per 100

| | | | |
|--|-------|-------|--|
| <i>Abelia grandiflora</i> , Hybrid Abelia | | | |
| 10 to 12 in. 4 inch pots | 2 50 | | |
| <i>Althaea</i> , see <i>Hibiscus</i> | | | |
| <i>Amelanchier Botryapium (Canadensis)</i> June-berry | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| <i>Amorpha canescens</i> , Lead Plant | | | |
| 1 to 1½ ft. | 1 00 | 8 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| “ <i>fruticosa</i> , False Indigo | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| <i>Amygdalus nana</i> , Double Pink Flowering Almond | | | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| “ <i>nana</i> , Double White Flowering Almond | | | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| “ <i>Persica</i> , see <i>Prunus Persica</i> | | | |
| <i>Andromeda arborea</i> , see <i>Oxydendron</i> | | | |
| “ <i>floribunda</i> , (Pieris) | | | |
| 15 in. clumps | 10 00 | | |
| 2 to 2½ ft. | 12 50 | | |
| “ <i>racemosa</i> | | | |
| 1½ to 2 ft., bushy | 2 50 | | |
| <i>Aralia Japonica</i> | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| “ <i>pentaphylla</i> (Acanthopanax) | | | |
| 1½ to 2 ft. | 75 | 6 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 50 | | |
| “ <i>spinosa</i> , Hercule's Club | | | |
| 5 to 6 ft. | 2 50 | | |
| <i>Aronia arbutifolia</i> , red Choke-berry | | | |
| 2 to 3 ft. | 2 00 | 18 00 | |
| “ <i>melanocarpa (nigra)</i> , black Choke-berry | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| <i>Azalea amoena</i> , Evergreen Azalea | | | |
| 12 to 15 in., broad | 7 50 | | |
| “ <i>amoena Hinodegiri</i> , Japanese evergreen Azalea | | | |
| 12 to 15 in., broad | 10 00 | | |
| “ <i>Kaempferi</i> , salmon pink | | | |
| 12 to 15 in., bushy | 7 50 | | |
| “ <i>ledifolia alba</i> , pure white Chinese Azalea | | | |
| 15 in. bushy | 10 00 | | |
| “ <i>lutea (calendulacea)</i> yellow | | | |
| 1½ to 2 ft. | 4 00 | 35 00 | |
| “ <i>Mollis</i> , Red | | | |
| 1½ to 2 ft. | 5 00 | 50 00 | |
| “ <i>Mollis</i> , yellow | | | |
| 1½ to 2 ft. | 5 00 | 50 00 | |
| “ <i>viscosa</i> , white | | | |
| 12 to 15 in., bushy | 2 75 | 25 00 | |
| 15 to 18 in., clumps | 3 50 | 30 00 | |

Continued page 22

| | | |
|--|--------|---------|
| Azalea Pontica, Ghent (Gandavensis) | Per 10 | Per 100 |
| 1½ to 2 ft. | 6 50 | |

VARIETIES OF AZALEA PONTICA

Boquette de Flore, Cherry red, Single.

Coccinea speciosa, Orange, Single.

Daviesii, White, very fine, single.

Nancy Waterer, Pure yellow, single.

Narcissiflora, Sulphur yellow, double.

Puccella, Pink, single.

Raphael de Smet, White shaded with rose, double.

Baccharis halimifolia, Groundsel Shrub

| | | |
|-----------------|------|-------|
| 3 to 4 ft. | 1 35 | 12 00 |
| 4 to 5 ft. | 1 75 | 15 00 |

Benzoin oderiferum, see Lindera Benzoin

Berberis aquifolia, see Mahonia

" **ilicifolia**, Holly-leaved Barberry

| | | |
|------------------|------|-------|
| 1½ to 2 ft. | 1 50 | 15 00 |
| 2 to 2½ ft. | 2 00 | 20 00 |

" **Sieboldi**

| | | |
|------------------|------|-------|
| 1½ to 2 ft. | 1 50 | 15 00 |
|------------------|------|-------|

" **Thunbergii**, Japanese Barberry

| | | |
|----------------------------------|------|-------|
| 1 to 1½ ft. \$ 60.00 per 1000 .. | 75 | 7 00 |
| 1½ to 2 ft. 80.00 per 1000 .. | 1 00 | 9 00 |
| 2 to 2½ ft. 100.00 per 1000 .. | 1 25 | 11 00 |

" **vulgaris**, green Barberry

| | | |
|------------------|------|-------|
| 1 to 1½ ft. | 60 | 5 00 |
| 1½ to 2 ft. | 75 | 6 00 |
| 2 to 3 ft. | 1 00 | 8 00 |
| 3 to 4 ft. | 1 25 | 10 00 |

" **vulgaris purpurea**, purple-leaved Barberry

| | | |
|------------------|------|-------|
| 1 to 1½ ft. | 65 | 5 00 |
| 1½ to 2 ft. | 75 | 6 00 |
| 2 to 3 ft. | 1 00 | 10 00 |
| 3 to 4 ft. | 1 25 | 12 00 |

Buddleia variabilis, Butterfly bush

| | | |
|-----------------|------|-------|
| 3 to 4 ft. | 1 35 | 13 00 |
|-----------------|------|-------|

Callicarpa purpurea

| | | |
|------------------|------|--|
| 1½ to 2 ft. | 1 25 | |
|------------------|------|--|

Calluna vulgaris, Heather

| | | |
|-------------------------------|------|-------|
| 6 to 8 in. 3½ inch pots | 2 50 | 25 00 |
|-------------------------------|------|-------|

Calycanthus floridus, Sweet Shrub

| | | |
|------------------|------|-------|
| 1 to 1½ ft. | 65 | |
| 1½ to 2 ft. | 1 25 | 10 00 |
| 2 to 3 ft. | 1 35 | 12 00 |

Caragana arborescens, Siberian Pea

| | | |
|-----------------|------|-------|
| 2 to 3 ft. | 1 00 | 8 00 |
| 3 to 4 ft. | 1 25 | 10 00 |
| 4 to 5 ft. | 1 75 | 15 00 |
| 5 to 6 ft. | 2 25 | 20 00 |

Caryopteris Mastacanthus, "Blue Spiraea"

| | | |
|------------------|------|-------|
| 1½ to 2 ft. | 1 25 | 10 00 |
|------------------|------|-------|

Ceanothus Americanus, New Jersey Tea

| | | |
|------------------|------|-------|
| 1 to 1½ ft. | 1 00 | 8 00 |
| 1½ to 2 ft. | 1 25 | 10 00 |

Cephalanthus occidentalis, Dwarf Button-bush

| | | |
|-----------------|------|-------|
| 2 to 3 ft. | 1 25 | 10 00 |
| 3 to 4 ft. | 1 35 | 12 00 |
| 4 to 5 ft. | 1 75 | 15 00 |

| | | Per 10 | Per 100 |
|---|------|--------|---------|
| Cercis canadensis , Judas Tree, Red Bud | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| 4 to 5 ft. | 2 25 | 20 00 | |
| 5 to 6 ft. | 3 00 | 25 00 | |
| " Japonica , Japanese Judas | | | |
| 2 ft., bushy | 2 50 | | |
| Chionanthus Virginica , White Fringe | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| 4 to 5 ft. | 3 50 | 35 00 | |
| Clethra alnifolia , Sweet Pepper-bush | | | |
| 1 to 1½ ft. | 1 00 | 8 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 50 | 15 00 | |
| Colutea arborescens , Bladder Sena | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| Corchorus , see <i>Kerria</i> | | | |
| Cornus alba (Siberica) Red-stemmed Dogwood | | | |
| 1½ to 2 ft. | 85 | 7 00 | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| " alternifolia , Blue Dogwood | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| " florida , White flowering Dogwood | | | |
| 2 to 3 ft. | 2 50 | | |
| " florida rubra , Red flowering Dogwood | | | |
| 2 to 3 ft. | 6 50 | | |
| " Mas , Cornelian Cherry | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 50 | | |
| " paniculata (Canadensis) | | | |
| 2 to 3 ft. | 1 75 | 16 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| " sanguinea , English Dogwood | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| " sericea (Amomum) Silky Dogwood | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 75 | 12 00 | |
| " Spaethi aurea, (elegantissima) Golden-leaved | | | |
| 2 to 3 ft. | 2 00 | 18 00 | |
| " stolonifera lutea , Yellow-stemmed Dogwood | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| Corylus avellana , European Hazel | | | |
| 4 to 5 ft. | 2 50 | 20 00 | |
| 5 to 6 ft. | 3 00 | 25 00 | |
| 6 to 7 ft. | 3 50 | 30 00 | |
| " avellana purpurea , Purple-leaved Filbert | | | |
| 2 to 3 ft. | 1 75 | 15 00 | |

| <i>Cotoneaster Simonsi</i> | | Per 10 | Per 100 |
|---|--|--------|---------|
| 1½ to 2 ft. | | 1 25 | 10 00 |
| 2 to 3 ft. | | 1 35 | 12 00 |
| 3 to 3½ ft. | | 1 50 | 13 00 |
| 3½ to 4 ft. | | 1 75 | 15 00 |
| <i>Crataegus coccinea</i> , Scarlet Thorn | | | |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| 2 to 3 ft. | | 2 25 | 20 00 |
| 3 to 4 ft. | | 2 75 | |
| 4 to 5 ft. | | 3 50 | |

Continued page 25



CRATAEGUS CORDATA
WASHINGTON THORN
 Balled and Burlapped

The Washington Thorn is one of the most ornamental of the small growing trees. The foliage is of a good dark green color in summer and in the fall it takes on the most beautiful shading of yellow and crimson.

Clusters of small white flowers cover the tree in early spring, these are followed by small berries about the size of a pea, which in fall are of a deep coral red, holding on the tree until towards early spring.

Unfortunately trees of larger sizes do not transplant easily without severe pruning. To overcome this we are prepared to ball and burlap certain sizes by the same method as we do the Sweet Gum as described on page 10. This practically insures safe transplanting.

| Prices balled and burlapped | | Per 10 | Per 100 |
|-----------------------------|--|--------|---------|
| 6 to 8 ft. | | 10 00 | 90 00 |
| 8 to 10 ft. | | 12 00 | 110 00 |
| 10 to 12 ft. | | 18 50 | 165 00 |

| | | Per 10 | Per 100 |
|-------------------------------------|-------|--------|---------|
| Crataegus, (Cont.) | | | |
| " cordata , Washington Thorn | | | |
| 1½ to 2 ft. | 1 25 | 12 00 | |
| 2 to 3 ft. | 2 25 | 20 00 | |
| 4 to 5 ft. | 3 25 | 30 00 | |
| 5 to 6 ft. | 3 75 | 35 00 | |
| 6 to 8 ft. | 4 50 | 40 00 | |
| 8 to 10 ft. | 6 00 | 50 00 | |
| 10 to 12 ft. | 12 50 | 100 00 | |

**SEE PRICES FOR TREES BALLED AND BURLAPPED
ON PAGE 24.**

| | | | |
|--|------|-------|--|
| " crus galli , Cockspur Thorn | | | |
| 1½ to 2 ft. | 1 75 | 15 00 | |
| 2 to 3 ft. | 2 25 | 20 00 | |
| 3 to 4 ft. | 2 75 | 25 00 | |
| " Oxycantha , English Hawthorn | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " Oxycantha double pink Hawthorn | | | |
| 5 to 6 ft. | 3 50 | | |
| " Oxycantha , double white Hawthorn | | | |
| 5 to 6 ft. | 3 50 | | |
| " Oxycantha , Paul's double scarlet Hawthorn | | | |
| 5 to 6 ft. | 3 50 | | |
| " Pyracantha Lalandi , Evergreen Thorn | | | |
| 1 to 1½ ft. | 2 00 | | |
| 1½ to 2 ft. | 2 50 | | |
| Cydonia Japonica (Pyrus Japonica) Japanese Quince | | | |
| 1 to 1½ ft. | 65 | 5 00 | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| " Japonica nivalis , pure white | | | |
| 1½ to 2 ft. | 1 25 | | |
| 2 to 3 ft. | 1 50 | | |
| " Japonica umbellicata , pink | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |

Cytisus, see **Laburnum**

| | | | |
|---|-------------|-------|--|
| Daphne cneorum , pink | | | |
| 10 to 12 in. clumps | 5 00 | 50 00 | |
| Desmodium penduliflorum (Lespedeza Sieboldi) | Bush Clover | | |
| 2 year | 1 50 | 15 00 | |
| Deutzia candidissima plena , double white | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| " crenata , single white | | | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " crenata , double pink | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| " crenata , Pride of Rochester, double pink | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| " gracilis , dwarf, single white | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |

| | | Per 10 | Per 100 |
|---|-------|--------|---------|
| Deutzia (Cont.) | | | |
| " <i>gracilis rosea</i> , dwarf, single pink | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| " <i>Lemoinei</i> , dwarf, white | | | |
| 1 to 1½ ft. | 85 | 7 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| Diervilla sessilifolia , (lutea) | | | |
| 1½ to 2 ft. | 1 00 | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 3½ ft. | 1 75 | 15 00 | |
| " <i>rosea</i> and varieties, see <i>Weigela</i> | | | |
| Eleagnus angustifolia , Russian Olive | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| " <i>longipes</i> (<i>edulis</i>) | | | |
| 1½ to 2 ft. | 1 00 | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| Erica stricta , Heath | | | |
| 15 to 18 in., 5 inch pots | 2 50 | 25 00 | |
| Euonymus alatus , Japanese strawberry bush | | | |
| 2 to 3 ft. | 2 25 | 20 00 | |
| 3 to 4 ft. | 3 50 | 30 00 | |
| 5 to 5½ ft., heavy | 10 00 | | |
| 5½ to 6 ft., heavy | 12 50 | | |
| " <i>Europeaus</i> , European burning-bush | | | |
| 3½ to 4 ft. | 1 35 | 12 00 | |
| " <i>Japonicus</i> , green-leaved | | | |
| 1½ to 2 ft., 5 inch pots | 3 00 | 25 00 | |
| " <i>Japonicus aureus</i> , golden-leaved | | | |
| 14 to 16 in., 5 inch pots | 3 00 | 25 00 | |
| " <i>nanus</i> , dwarf Euonymus | | | |
| 1½ to 2 ft. | 1 75 | 15 00 | |
| 2 to 2½ ft. | 2 25 | 20 00 | |
| Exochorda grandiflora , Pearl bush | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| 3 to 4 ft. | 1 35 | 13 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| Forsythia Fortunei , Golden Bell | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| " <i>intermedia</i> , Golden Bell | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| " <i>suspensa</i> , Weeping Golden Bell | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| " <i>viridissima</i> , Golden Bell | | | |
| 1½ to 2 ft. | 75 | 6 00 | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| Halesia tetraptera (<i>Mohrodendron</i>) Silver Bell | | | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| 5 to 6 ft. | 2 50 | | |

| | | | |
|--|------|--------|---------|
| Hamamelis Virginiana, Wych-hazel | | Per 10 | Per 100 |
| 2 to 3 ft. | 1 75 | 15 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| 4 to 5 ft. | 2 50 | 22 00 | |
| Hibiscus Syriacus Boule de Feu, double red | | | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| " Syriacus coelestis, single blue | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " Syriacus Duc de Brabant, double red | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| " Syriacus Jean d'Arc, double white | | | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| 6 to 6½ ft. | 2 50 | 20 00 | |
| " Syriacus rubis, single red | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " Syriacus rubra plena, double red | | | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| " Syriacus totus albus, single white | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3½ to 4 ft. | 1 50 | 12 00 | |
| " Syriacus variegata fl. pl. variegated leaved | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| 5 to 6 ft. | 2 50 | 20 00 | |
| Hippophaea rhamnooides, Sea Buckthorn | | | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| Hydrangea arborescens grandiflora, American Ever-blooming | | | |
| 1 to 1½ ft. | 1 25 | 10 00 | |
| 1½ to 2 ft. | 1 35 | 12 00 | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| 3 to 4 ft. | 2 25 | 20 00 | |
| " paniculata (type) single | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| " paniculata, Early-flowering | | | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| " paniculata grandiflora | | | |
| 1 to 1½ ft. | 75 | 5 00 | |
| 1½ to 2 ft. | 85 | 7 00 | |
| 2 to 3 ft. | 1 25 | 9 00 | |
| 3 to 4 ft. | 1 50 | 14 00 | |
| " paniculata grandiflora, Tree-form | | | |
| 3 to 4 ft., 2½ to 3 ft. stems | 2 50 | | |
| " quercifolia, Oak-leaved Hydrangea | | | |
| 2 to 3 ft. | 3 50 | 30 00 | |
| 3 to 4 ft. | 4 00 | 35 00 | |
| " radiata (nivea) | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |

| | | Per 10 | Per 100 |
|---|--|--------|---------|
| Hypericum aureum, St. John's Wort | | | |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| 2 to 2½ ft. | | 1 35 | 12 00 |
| " densiflorum | | | |
| 1½ to 2 ft., heavy | | 1 25 | 10 00 |
| 2 to 3 ft. | | 1 50 | |
| " Moserianum, Gold flower | | | |
| 2 year strong | | 1 35 | 12 00 |
| Ilex crenata, Japanese Holly | | | |
| 15 to 18 in. | | 3 00 | |
| 3 to 3½ ft., bush form | | 20 00 | |
| 6 to 7 ft., pyramids | | 50 00 | |
| " verticillata (Prinos) Winter berry | | | |
| 1 to 1½ ft. | | 1 25 | 10 00 |
| 1½ to 2 ft. | | 1 75 | 15 00 |
| 2 to 3 ft. | | 2 25 | 20 00 |
| Itea Virginica, Virginian Willow | | | |
| 1 to 1½ ft. | | 1 00 | 8 00 |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| Kerria Japonica, single (Corchorus) | | | |
| 1½ to 2 ft. | | 1 35 | 12 00 |
| 3 to 4 ft. | | 1 75 | 15 00 |
| " Japonica, double | | | |
| 1½ to 2 ft. | | 1 00 | 8 00 |
| 2 to 3 ft. | | 1 35 | 12 00 |
| 3 to 4 ft. | | 1 75 | 15 00 |
| " Japonica variegata, variegated-leaved Kerria | | | |
| 1½ to 2 ft. | | 1 50 | 15 00 |
| Laburnum vulgare (Cytisssus) Golden Chain | | | |
| 2 to 3 ft. | | 1 75 | 15 00 |
| 3 to 4 ft. | | 2 25 | 20 00 |
| 6 to 8 ft. | | 3 50 | |
| Laurus Benzoin, see Lindera | | | |
| Lespedeza bicolor, Bush clover | | | |
| 2 to 3 ft. | | 1 35 | 12 00 |
| Leucothaea Catesbaei | | | |
| 15 to 18 in. clumps | | 4 00 | 35 00 |
| Ligustrum Ibota, as commonly sold, not upright | | | |
| 1½ to 2 ft. \$50.00 per 1000 | | 75 | 6 00 |
| 2 to 3 ft. 70.00 per 1000 | | 1 00 | 8 00 |
| 3 to 3½ ft. 90.00 per 1000 | | 1 25 | 10 00 |
| " ibota compacta | | | |
| 3½ to 4 ft. | | 1 75 | 15 00 |
| 4½ to 5 ft. | | 2 25 | 20 00 |
| " ibota Regelianum, Regel's Privet | | | |
| 2 to 2½ ft. | | 1 50 | 12 00 |
| 3 to 4 ft. | | 2 00 | 18 00 |
| 4 to 5 ft., heavy | | 2 75 | 25 00 |
| " ovalifolium, California Privet | | | |
| 1½ to 2 ft. \$15.00 per 1000 | | 25 | 2 00 |
| 2 to 3 ft. 25.00 per 1000 | | 35 | 3 00 |
| 3 to 4 ft. 30.00 per 1000 | | 50 | 3 50 |
| 2 to 3 ft., heavy trans. | | 75 | 6 00 |
| 3 to 4 ft., heavy trans. | | 1 00 | 8 00 |
| " vulgare, Common Privet | | | |
| 2 to 3 ft. \$70.00 per 1000 | | 90 | 8 00 |
| 3 to 4 ft. \$80.00 per 1000 | | 1 25 | 10 00 |

| | | Per 10 | Per 100 |
|--|------------|--------|---------|
| Lindera Benzoin (Benzoin odoriferum) | Spice bush | | |
| 2 to 3 ft. | | 1 75 | 17 00 |
| 3 to 4 ft. | | 2 25 | 20 00 |
| Lonicera bella albida , Bush Honeysuckle | | | |
| 4 to 5 ft. | | 1 75 | 15 00 |
| 5 to 6 ft. | | 2 00 | |
| " bella candida , Bush Honeysuckle | | | |
| 3 to 3½ ft. | | 1 35 | 12 00 |
| 5 to 6 ft., heavy | | 2 25 | 20 00 |
| " fragrantissima | | | |
| 2 to 3 ft. | | 1 25 | 10 00 |
| 3 to 4 ft. | | 1 50 | 15 00 |
| " Morrowi , red-berried | | | |
| 2 to 3 ft. | | 1 00 | 8 00 |
| 3 to 4 ft. | | 1 25 | 10 00 |
| 4 to 5 ft. | | 1 75 | |
| " Morrowi , yellow-berried | | | |
| 2 to 2½ ft. | | 1 00 | 8 00 |
| 3 to 4 ft. | | 1 25 | 10 00 |
| 4 to 5 ft. | | 1 50 | 12 00 |
| " Ruprechtiana | | | |
| 3 to 4 ft. | | 1 35 | 12 00 |
| 4 to 5 ft. | | 1 75 | 15 00 |
| " Tatarica alba , white Bush Honeysuckle | | | |
| 1 to 1½ ft. | | 75 | 6 00 |
| 2 to 3 ft. | | 1 25 | 10 00 |
| " Tatarica rubra , red Bush Honeysuckle | | | |
| 1½ to 2 ft. | | 75 | 6 00 |
| 2 to 3 ft. | | 1 00 | 8 00 |
| 3 to 4 ft. | | 1 25 | 10 00 |
| 4 to 5 ft. | | 1 35 | |
| 5 to 6 ft. | | 1 75 | 15 00 |
| " Tatarica grandiflora rosea , pink | | | |
| 1½ to 2 ft. | | 75 | 6 00 |
| 2 to 3 ft. | | 1 00 | 8 00 |
| 3 to 4 ft. | | 1 25 | 10 00 |
| " Tatarica splendens | | | |
| 2 to 3 ft. | | 1 25 | 10 00 |
| 3 to 4 ft. | | 1 35 | 12 00 |
| " Tatarica , yellow-berried | | | |
| 3 to 4 ft. | | 1 35 | 12 00 |
| " Xylosteum , Fly Honeysuckle | | | |
| 2 to 2½ ft. | | 1 35 | 10 00 |
| Mahonia aquifolium | | | |
| 1 to 1½ ft. | | 1 25 | 10 00 |
| Mohrodendron , see <i>Halesia</i> | | | |
| Myrica cerifera , Wax Myrtle | | | |
| 1½ to 2 ft. | | 2 25 | 20 00 |
| Opulaster , see <i>Spiraea opulifolia</i> | | | |
| Oxydendron arboreum (Andromeda) Sorrel-tree | | | |
| 2 to 3 ft. | | 3 25 | 30 00 |
| Persica , Double pink flowering Peach | | | |
| 4 to 6 ft. | | 1 75 | |

| | | Per 10 | Per 100 |
|--|--|--------|---------|
| Persica, (Cont.) | | | |
| " Double red flowering Peach | | 1 75 | |
| 4 to 6 ft. | | | |
| " Double white flowering Peach | | 1 75 | |
| 4 to 6 ft. | | | |
| Philadelphus coronarius, Sweet flowered Mock Orange | | | |
| 2 to 3 ft. | | 1 25 | 10 00 |
| 3 to 4 ft. | | 1 35 | 12 00 |
| 4 to 5 ft. | | 1 50 | 15 00 |
| " <i>coronarius aureus</i> , Golden-leaved Mock Orange | | | |
| 12 to 15 in. | | 1 25 | 10 00 |
| 15 to 18 in. | | 1 35 | 12 00 |
| 1½ to 2 ft. | | 1 50 | |
| 3½ to 4 ft. | | 2 75 | 25 00 |
| " <i>coronarius Avalanche</i> | | | |
| 1½ to 2 ft. | | 1 00 | 8 00 |
| 2 to 3 ft. | | 1 25 | 10 00 |
| " <i>coronarius Gordonianus</i> | | | |
| 2½ to 3 ft. | | 1 00 | 8 00 |
| 4 to 5 ft. | | 1 35 | 12 00 |
| " <i>coronarius grandiflorus</i> , Large-flowered Mock Orange | | | |
| 2 to 3 ft. | | 1 00 | 8 00 |
| 3 to 4 ft. | | 1 25 | 10 00 |
| 4 to 5 ft. | | 1 35 | 12 00 |
| " <i>coronarius Mont Blanc</i> | | | |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| " <i>coronarius nanus</i> , Dwarf Mock Orange | | | |
| 1½ to 2 ft. | | 1 00 | 8 00 |
| 2 to 3 ft. | | 1 25 | 10 00 |
| " <i>Lemoinei</i> | | | |
| 1½ to 2 ft. | | 1 00 | 8 00 |
| 2 to 3 ft. | | 1 25 | 10 00 |
| " <i>Lemoinei erectus</i> | | | |
| 1½ to 2 ft. | | 1 00 | 8 00 |
| 2 to 3 ft. | | 1 25 | 10 00 |
| 3 to 4 ft. | | 1 35 | 12 00 |
| " <i>Zeyheri</i> | | | |
| 2½ to 3 ft. | | 1 25 | 10 00 |
| Physocarpus , see <i>Spiraea opulifolia</i> | | | |
| Potentilla fruticosa , Cinquefoil | | | |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| Prinos verticillata , see <i>Ilex</i> | | | |
| Prunus Japonica , see <i>Amygdalus nana</i> | | | |
| " <i>Persica</i> , Flowering Peaches, see <i>Persica</i> | | | |
| " <i>Pissardi</i> , Purple-leaved Plum | | | |
| 4 to 5 ft. | | 1 75 | 16 00 |
| " <i>triloba</i> , double flowering Plum | | | |
| 2 to 3 ft. | | 2 00 | 18 00 |
| Ptelea trifoliata , Hop Tree | | | |
| 2 to 3 ft. | | 75 | 6 00 |
| 3 to 4 ft. | | 1 00 | 8 00 |
| 4 to 6 ft. | | 1 25 | 10 00 |
| Pterostyrax hispida | | | |
| 4 to 4½ ft. | | 3 50 | |
| 6½ to 7 ft. | | 5 00 | |
| Pyrus Japonica , see <i>Cydonia</i> | | | |
| Pyrus arbutifolia and melanocarpa , see <i>Aronia</i> | | | |
| Pyrus Bechtel's and other varieties , see <i>Malus</i> , tree section | | | |

City of Springfield, Mass.

Department of Public Parks

Charles E. Ladd, Supt.

Springfield, Mass., April 23, 1915.
Thomas Meehan & Sons,
Dresher, Pa.

Dear Sirs:—

Replying to your letter of the 21st inst., would say that you may ship the 200 Myrica cerifera as described in your letter.

Permit me to compliment you on the order for trees and shrubs which you sent us. In all my experience, covering many years, we have never received such a satisfactory lot of nursery stock and I shall take pleasure in recommending you to any who may wish to purchase.

Very truly yours,
CHARLES E. LADD,
Supt. Public Parks.

| | | Per 10 | Per 100 |
|--|--|--------|---------|
| Rhamnus catharticus , Buckthorn | | | |
| 1½ to 2 ft. | | 65 | 5 00 |
| 2 to 3 ft. | | 85 | 7 00 |
| " frangula | | | |
| 3 to 4 ft. | | 1 35 | 12 00 |
| 4 to 5 ft. | | 1 75 | 15 00 |
| Rhodotypos kerroides , White Kerria | | | |
| 1½ to 2 ft. | | 1 00 | 8 00 |
| 2 to 3 ft. | | 1 25 | 10 00 |
| 3 to 4 ft. | | 1 35 | 12 00 |
| Rhus aromatica (canadensis) | | | |
| 2 to 3 ft. | | 2 75 | 27 00 |
| " copallina , Shining Sumach | | | |
| 1½ to 2 ft. | | 1 35 | 12 00 |
| " Cotinus , Smoke bush, Purple Fringe | | | |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| 2 to 3 ft. | | 1 35 | 12 00 |
| 3 to 4 ft. | | 1 75 | 15 00 |
| 4 to 5 ft. | | 2 00 | 18 00 |
| " glabra , Smooth Sumach | | | |
| 2 to 3 ft. | | 1 00 | 8 00 |
| 3 to 4 ft. | | 1 25 | 10 00 |
| " glabra lacinata , Cut-leaved Sumach | | | |
| 1½ to 2 ft. | | 1 75 | 15 00 |
| 2 to 2½ ft. | | 2 00 | 18 00 |
| " typhina , Staghorn Sumach | | | |
| 2 to 3 ft. | | 1 00 | 8 00 |
| 3 to 4 ft. | | 1 25 | 10 00 |
| 4 to 6 ft. | | 1 35 | 12 00 |
| 6 to 8 ft. | | 1 75 | 15 00 |
| " typhina lacinata , Cut-leaved | | | |
| 2 to 3 ft. | | 1 35 | 12 00 |
| 3 to 4 ft. | | 1 75 | 15 00 |
| Ribes alpinum | | | |
| 1 to 1½ ft. | | 1 25 | 10 00 |
| 1½ to 2 ft. | | 1 35 | |
| " aureum , Yellow Missouri Currant | | | |
| 2 to 3 ft. | | 1 25 | 10 00 |
| 3 to 4 ft. | | 1 35 | 12 00 |
| 4 to 5 ft. | | 1 75 | 15 00 |
| " sanguineum , pink flowering Currant | | | |
| 1½ to 2 ft. | | 1 50 | |
| 2 to 3 ft. | | 1 75 | 15 00 |
| Robinia hispida rosea , Rose acacia | | | |
| 2 to 2½ ft. | | 1 75 | 15 00 |
| 3 to 4 ft. | | 2 25 | 20 00 |
| Rosa blanda (Virginiana) | | | |
| 1 to 1½ ft. | | 1 00 | 8 00 |
| 1½ to 2 ft. | | 1 25 | 10 00 |
| 2 to 3 ft. | | 1 35 | 12 00 |
| 3 to 4 ft. | | 1 75 | 15 00 |
| " Carolina | | | |
| 1½ to 2 ft. | | 1 00 | 8 00 |
| 2 to 3 ft. | | 1 35 | 12 00 |
| 3 to 4 ft. | | 1 75 | 15 00 |
| 4 to 5 ft. | | 2 00 | 18 00 |

| Rosa (Cont.) | | Per 10 | Per 100 |
|--|------|--------|---------|
| “ humilis | | | |
| 1 to 1½ ft. | 1 25 | 10 00 | |
| 1½ to 2 ft. | 1 35 | 12 00 | |
| 2 to 3 ft. | 1 75 | 15 00 | |
| “ lucida | | | |
| 1 to 1½ ft. | 1 00 | 8 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| “ multiflora Japonica | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| “ nitida | | | |
| 1 to 1½ ft. | 1 00 | 8 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 3 ft. | 1 50 | 12 00 | |
| “ rubiginosa , Sweet Brier, Eglantine | | | |
| 2 to 3 ft. | 75 | 6 00 | |
| 3 to 4 ft. | 1 00 | 8 00 | |
| 4 to 5 ft. | 1 25 | 10 00 | |
| “ rubrifolia (ferruginea) | | | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| “ rugosa rubra , Japanese rose, red | | | |
| 1½ to 2 ft. | 1 00 | 9 00 | |
| 2 to 2½ ft. | 1 25 | 10 00 | |
| “ rugosa alba , Japanese rose, white | | | |
| 15 to 18 in. bushy | 1 00 | 8 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| “ setigera , Prairie Rose | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| “ Wichuraiana , Memorial Rose | | | |
| 2 to 3 ft. | 1 25 | 9 00 | |

HYBRID RUGOSA ROSES

These hybrid rugosa roses are hardy in the most severe climates of the United States. Their value is more recognized every year.

| | | | |
|--|------|-------|--|
| Rosa rugosa , Conrad Ferdinand Meyer, double pink | | | |
| 2 year | 1 50 | 15 00 | |
| “ rugosa Hansa , double red | | | |
| 2 year | 1 50 | 15 00 | |
| “ rugosa Md. George Bruant , double white | | | |
| 2 year | 1 50 | 15 00 | |

BABY RAMBLER ROSES

| | | | |
|---|------|-------|--|
| Rose , Baby Rambler, double red | | | |
| 2 year | 1 50 | 15 00 | |
| “ Baby Dorothy Perkins , double pink | | | |
| 2 year | 1 50 | 15 00 | |
| “ Catharine Zeimet , double white Baby | | | |
| 2 year | 1 50 | 15 00 | |

Roses—Hybrid Perpetual, Etc.

| | Per 10 | Per 100 |
|---|--------|---------|
| Assorted varieties,, 2 years, No. 1 | 2 00 | 20 00 |

LIST OF VARIETIES OF HYBRID ROSES

Coquette des Alpes, flesh white.
 Frau Karl Druschki, pure white.
 General Jacqueminot, brilliant crimson.
 Gruss an Teplitz, dark red
 Hermosa, pink
 Kaiserin Auguste Victoria, creamy white.
 Killarney, soft pink.
 Madam Caroline Testout, soft pink.
 Magna Charta, pink, suffused with carmine.
 Maman Cochet, pink.
 Maman Cochet, white.
 Margaret Dickson, white, pale flesh center.
 Mrs. John Laing, soft pink.
 Paul Neyron, deep rose.
 Persian Yellow.
 Prince Camille de Rohan, velvety crimson.
 Soliel d'Or, golden yellow.
 Souv. de Pierre Notting, yellow with carmine.
 Ulrich Brunner, cherry red.

Roses, Hybrid Wichuraiana, Ramblers, Etc.

| | | |
|---|------|-------|
| Alberic Barbier, semi-double, white and buff center | | |
| 6 inch pots | 2 00 | 20 00 |
| American Pillar, single, rosy pink | | |
| 5 inch pots | 2 00 | 20 00 |
| 6 inch pots | 2 50 | 25 00 |
| Baltimore Belle, double white | | |
| 5 inch pots | 2 00 | 20 00 |
| Crimson Rambler, double crimson | | |
| 2 to 3 ft. | 1 25 | 12 00 |
| Dawson, double pink | | |
| 5 inch pots | 2 00 | 20 00 |
| 6 inch pots | 2 50 | 25 00 |
| Dorothy Perkins, double pink | | |
| 2 to 3 ft. | 1 25 | 12 00 |
| 5 inch pots | 2 00 | 20 00 |
| Edgar Andreu, New, double blood-red | | |
| 5 inch pots | 2 00 | 20 00 |
| 6 inch pots | 2 50 | 25 00 |
| Evergreen Gem, double white, buff in bud | | |
| 2 to 3 ft. | 1 25 | 12 00 |
| 5 inch pots | 2 00 | 20 00 |
| 6 inch pots | 2 50 | 25 00 |
| Excelsa, double crimson-maroon | | |
| 2 to 3 ft. | 1 25 | 12 00 |
| 5 inch pots | 2 00 | 20 00 |
| Jersey Beauty, single buff, yellow stamens | | |
| 2 to 3 ft. | 1 25 | 12 00 |
| 5 inch pots | 2 00 | 20 00 |

Continued page 35

| Rosa (Cont.) | | Per 10 | Per 100 |
|--|------|--------|---------|
| Lady Gay , double, clear pink | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| Manda's Triumph , double white | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| Paul's Carmine Pillar , single, carmine | | | |
| 5 inch pots | 2 50 | 25 00 | |
| Pink Rambler , single pink | | | |
| 5 inch pots | 2 00 | 20 00 | |
| Prairie Queen , double, pink | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| Rene Andre , semi-double, carmine | | | |
| 6 inch pots | 2 50 | 25 00 | |
| Silver Moon , New, single, extra large, white | | | |
| 5 inch pots | 5 00 | | |
| South Orange Perfection , double, white | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| Universal Favorite , double, rose | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| White Dorothy Perkins , double white | | | |
| 2 to 3 ft. | 1 25 | 12 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| White Rambler , double, white | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| Rubus odoratus | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| Sambucus canadensis , American Elderberry | | | |
| 1½ to 2 ft. | 85 | 7 00 | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| " nigra aurea , golden Elderberry | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " nigra laciniata , cut-leaved Elderberry | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| " racemosa , red-berried Elderberry | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| Sorbaria sorbifolia , see <i>Spiraea sorbifolia</i> | | | |
| Spiraea Anthony Waterer , pink, dwarf | | | |
| 12 to 15 in. bushy | 85 | 7 00 | |
| 15 to 18 in. bushy | 1 25 | 10 00 | |
| 2 to 2½ ft. | 1 75 | 15 00 | |
| 2½ to 3 ft. | 2 00 | 18 00 | |
| 10 " arguta , white | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 2½ ft. | 1 35 | 12 00 | |
| 2½ to 3 ft. | 1 75 | 15 00 | |

| <i>Spiraea</i> (Cont.) | | Per 10 | Per 100 |
|---|------|--------|---------|
| “ <i>Billardi</i> , pink | | | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| 5 to 6 ft. | 1 75 | 15 00 | |
| “ <i>callosa alba</i> , dwarf white | | | |
| 10 to 12 in. bushy | 1 25 | 10 00 | |
| “ <i>callosa rosea</i> (<i>Japonica</i>) pink | | | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| “ <i>callosa rubra</i> , dwarf pink | | | |
| 1½ to 2 ft. | 1 35 | 12 00 | |
| “ <i>Douglasii rosea</i> , pink | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| “ <i>opulifolia</i> (<i>Physocarpus opulaster</i>) Ninebark | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| 5 to 6 ft. | 1 75 | 15 00 | |
| “ <i>opulifolia aurea</i> , golden-leaved | | | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| “ <i>prunifolia</i> fl. pl. Bridal Wreath | | | |
| 1½ to 2 ft. | 85 | 7 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| “ <i>Reevesiana</i> , single (<i>Cantonensis</i>) white | | | |
| 3 to 4 ft. | 1 35 | | |
| “ <i>Reevesiana</i> fl. pl. (<i>Cantonensis</i>) double white | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| 4 to 5 ft. | 1 75 | 15 00 | |
| “ <i>sorbifolia</i> (<i>Sorbaria</i>) | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 10 “ <i>Thunbergii</i> , white | | | |
| 1 to 1½ ft. bushy | 1 00 | 8 00 | |
| 1½ to 2 ft. | 1 25 | 10 00 | |
| 2 to 2½ ft. | 1 35 | 12 00 | |
| “ <i>Van Houttei</i> , single white | | | |
| 1½ to 2 ft. | 75 | 6 00 | |
| 2 to 3 ft. | 1 00 | 8 00 | |
| 10 3 to 4 ft. | 1 25 | 10 00 | |
| 4 to 5 ft. | 1 35 | 12 00 | |
| Staphyllea Colchica, White-flowered Bladder Nut | | | |
| 2 to 3 ft. | 2 00 | | |
| “ <i>trifoliata</i> , Bladder nut | | | |
| 2 to 3 ft. | 1 35 | 12 00 | |
| 3 to 4 ft. | 1 75 | 15 00 | |
| Stephanandra flexuosa, white | | | |
| 1½ to 2 ft. | 1 00 | 8 00 | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| 3 to 4 ft. | 1 35 | 12 00 | |
| Styrax Japonica | | | |
| 4 to 5 ft. | 4 00 | | |
| 5 to 6 ft. | 5 00 | | |
| 6 to 7 ft. | 6 50 | 60 00 | |
| 7 to 8 ft. | 8 50 | 75 00 | |

| | | Per 10 | Per 100 |
|--|---|--------|---------|
| 10 | Symporicarpos racemosus, white Snowberry, Waxberry | | |
| | 1½ to 2 ft. | 1 00 | 8 00 |
| | 2 to 3 ft. | 1 25 | 10 00 |
| | 3 to 4 ft. | 1 35 | 12 00 |
| | 4 to 5 ft. | 1 75 | 15 00 |
| " | vulgaris, Indian Currant, Coral Berry | | |
| | 1½ to 2 ft. | 75 | 6 00 |
| | 2 to 3 ft. | 1 00 | 8 00 |
| | 3 to 4 ft. | 1 25 | 10 00 |
| Syringa Japonica, Japanese Tree Lilac | | | |
| | 2 to 3 ft. | 1 75 | 15 00 |
| | 3 to 4 ft. | 2 50 | 20 00 |
| | 4 to 5 ft. | 3 00 | |
| " | Rothomagensis (chinensis) Red Persian | | |
| | 1½ to 2 ft. | 1 00 | 8 00 |
| | 2 to 3 ft. | 1 35 | 12 00 |
| | 3 to 4 ft. | 1 75 | 15 00 |
| " | vulgaris, common purple | | |
| | 1½ to 2 ft. | 85 | 7 00 |
| | 2 to 3 ft. | 1 00 | 8 00 |
| | 3 to 4 ft. | 1 35 | 12 00 |
| " | vulgaris alba, common white lilac | | |
| | 1 to 1½ ft. | 75 | 6 00 |
| | 1½ to 2 ft. | 1 00 | 8 00 |
| | 2 to 3 ft. | 1 25 | 10 00 |
| | 3 to 4 ft. | 1 35 | 12 00 |
| | 4 to 4½ ft. | 1 50 | |

Choice Named Lilacs—Single and Double

| | |
|---|------|
| Alphonse Lavalle , blue, double, large panicles | |
| 2 to 3 ft. | 3 00 |
| Belle de Nancy , satiny rose, double, very large | |
| 3 to 4 ft. | 3 50 |
| Charles X. reddish purple, single, large | |
| 3 to 4 ft. | 3 50 |
| Congo , red, single, very large | |
| 2 to 3 ft. | 3 00 |
| Dr. Masters , clear lilac, double, superb | |
| 2 to 3 ft. | 3 00 |
| Frau Dammann , white, single, very large | |
| 2 to 3 ft. | 3 00 |
| Ludwig Spaeth , purplish red, single, large | |
| 2 to 3 ft. | 3 00 |
| Mme. Abel Chatney , white, double, very fine | |
| 2 to 3 ft. | 3 00 |
| Mme. Casimir Perier , creamy white, double, superb | |
| 2 to 3 ft. | 3 00 |
| 3 to 4 ft. | 3 50 |
| Marie Le Gray , white, single, large panicles | |
| 2 to 3 ft. | 3 00 |
| President Viger , bluish lilac, double, extra fine | |
| 2 to 3 ft. | 3 00 |
| Princess Alexandra , white, single, large | |
| 2 to 3 ft. | 3 00 |
| Senator Volland , bright rosy red, double | |
| 3 to 4 ft. | 3 50 |

| | | Per 10 | Per 100 |
|--|--|--------|---------|
| Tamarix Africana, (parviflora) light pink, ear'y | | | |
| 2 to 3 ft. | | 1 00 | 8 00 |
| " Gallica , light pink, early | | | |
| 2 to 3 ft. | | 1 00 | 8 00 |
| 3 to 4 ft. | | 1 25 | 10 00 |
| 4 to 5 ft. | | 1 35 | 12 00 |
| " Gallica indica , pink, late | | | |
| 4 to 5 ft. | | 1 35 | 12 00 |
| 5 to 6 ft. | | 1 75 | 15 00 |
| 6 to 8 ft. | | 2 00 | 18 00 |
| " hispida aestivalis , pink, late | | | |
| 2 to 3 ft. | | 1 25 | 10 00 |
| " Japonica plumosa , pink, late | | | |
| 2 to 3 ft. | | 1 00 | 8 00 |
| 3 to 4 ft. | | 1 25 | 10 00 |
| " Odessana , pink, early | | | |
| 2 to 3 ft. | | 1 25 | 10 00 |
| Viburnum dentatum , Arrow-wood | | | |
| 1½ to 2 ft. | | 1 00 | 8 00 |
| 2 to 3 ft. | | 1 35 | 12 00 |
| 3 to 4 ft. | | 1 75 | 15 00 |
| " dentatum Molle | | | |
| 2 to 3 ft. | | 1 35 | 12 00 |
| " Lantana , Hobble-bush, Wayfaring tree | | | |
| 1½ to 2 ft. | | 75 | 6 00 |
| 2 to 3 ft. | | 1 00 | 8 00 |
| 3 to 4 ft. | | 1 25 | 10 00 |
| 4 to 5 ft. | | 1 35 | 12 00 |
| " Ientago | | | |
| 1½ to 2 ft. | | 1 35 | 12 00 |
| 2 to 3 ft. | | 2 00 | 18 00 |
| " nudum cassinoides | | | |
| 2 to 3 ft. | | 2 25 | 20 00 |
| " Opulus , see oxycoccus | | | |
| " opus sterile , Common Snowball | | | |
| 1½ to 2 ft. | | 1 00 | 8 00 |
| 2 to 3 ft. | | 1 25 | 10 00 |
| 3 to 4 ft. | | 1 35 | 12 00 |
| 4 to 5 ft. | | 1 75 | 15 00 |
| " Opulus nana , dwarf | | | |
| 9 to 12 in. | | 1 25 | 10 00 |
| 12 to 15 in. | | 1 75 | 15 00 |
| 15 to 18 in. | | 2 00 | 18 00 |
| 1½ to 2 ft. | | 2 50 | |
| " oxycoccus (Opulus) High-bush Cranberry | | | |
| 1½ to 2 ft. | | 1 00 | 8 00 |
| 2 to 3 ft. | | 1 25 | 10 00 |
| 3 to 4 ft. | | 1 35 | 12 00 |
| 4 to 5 ft. | | 1 75 | 15 00 |

Per 10 Per 100

Viburnum (Cont.)**" plicatum, Japanese Snowball**

| | | |
|------------------|------|-------|
| 1½ to 2 ft. | 1 35 | 12 00 |
| 2 to 3 ft. | 1 75 | 15 00 |
| 3 to 4 ft. | 2 25 | 20 00 |

" tomentosum

| | | |
|------------------|------|-------|
| 2 to 2½ ft. | 1 75 | 15 00 |
|------------------|------|-------|

Vitex Agnus Castus, blue, Chaste shrub

| | | |
|-----------------|------|-------|
| 2 to 3 ft. | 1 25 | 10 00 |
| 3 to 4 ft. | 1 35 | 12 00 |

" Agnus Castus alba, white

| | |
|-----------------|------|
| 2 to 3 ft. | 1 25 |
|-----------------|------|

Weigela amabilis, pink

| | | |
|-----------------|------|-------|
| 3 to 4 ft. | 1 75 | 15 00 |
|-----------------|------|-------|

" arborea, light pink

| | | |
|------------------|------|-------|
| 2 to 3 ft. | 1 50 | 12 00 |
| 3 to 4 ft. | 1 75 | 15 00 |
| 4 to 4½ ft. | 2 25 | 20 00 |

" candida, white

| | | |
|-----------------|------|-------|
| 2 to 3 ft. | 1 25 | 12 00 |
| 3 to 4 ft. | 1 75 | 15 00 |
| 4 to 5 ft. | 2 25 | 20 00 |

" Eva Rathke, crimson

| | | |
|------------------|------|-------|
| 1½ to 2 ft. | 1 25 | 10 00 |
| 2 to 3 ft. | 1 75 | 15 00 |
| 3 to 4 ft. | 2 25 | 20 00 |

" nana variegata, Variegated-leaved

| | | |
|-----------------|------|-------|
| 2 to 3 ft. | 1 35 | 12 00 |
|-----------------|------|-------|

" rosea, pink

| | | |
|-----------------|------|-------|
| 2 to 3 ft. | 1 35 | 12 00 |
| 3 to 4 ft. | 1 75 | 15 00 |

" Stelznerii, pink

| | | |
|-----------------|------|-------|
| 2 to 3 ft. | 1 25 | 10 00 |
| 3 to 4 ft. | 1 35 | 12 00 |
| 4 to 5 ft. | 1 75 | 15 00 |

" Van Houttei, light pink

| | | |
|-----------------|------|-------|
| 2 to 3 ft. | 1 35 | 12 00 |
| 3 to 4 ft. | 1 75 | 15 00 |

Xanthoceras sorbifolia, white,

| | |
|------------------|------|
| 1½ to 2 ft. | 3 50 |
|------------------|------|

Xanthorrhiza apiifolia, yellow-root

| | | |
|-------------------|------|-------|
| 12 to 15 in. | 1 25 | 10 00 |
|-------------------|------|-------|

Yucca filamentosa, Adam's Needle

| | | |
|-------------|------|-------|
| 3 year | 1 25 | 10 00 |
| 4 year | 1 35 | |

Vines and Climbers

| | | Per 10 | Per 100 |
|---|------|--------|---------|
| Akebia quinata | | | |
| 2 year | 1 25 | 10 00 | |
| 3 year | 1 35 | 12 00 | |
| Ampelopsis quinquefolia (Virginica) Virginia Creeper | | | |
| 2 year | 85 | 7 00 | |
| 4 year | 1 25 | 10 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| " <i>quinquefolia Englemanni</i> | | | |
| 2 year | 1 00 | 8 00 | |
| " <i>Veitchii (tricuspidata) Japanese or Boston Ivy</i> | | | |
| 2 year | 1 00 | 9 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| Aristolochia Siphon, Dutchman's Pipe | | | |
| 4 to 6 ft. | 2 50 | 22 00 | |
| Bignonia radicans, (Tecoma) Trumpet Vine, Orange | | | |
| 2 year | 1 00 | 8 00 | |
| 3 year | 1 25 | 10 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| " <i>radicans grandiflora</i> | | | |
| 2 year | 1 35 | 12 00 | |
| 3 year | 1 75 | 15 00 | |
| Celastrus orbiculatus, Japanese Bittersweet | | | |
| 2 to 3 ft. | 1 25 | 10 00 | |
| " <i>scandens, Bittersweet</i> | | | |
| 3 to 4 ft. | 1 00 | 8 00 | |
| 4 to 5 ft. | 1 25 | 10 00 | |
| Clematis Montana alba | | | |
| 6 inch pots | 2 00 | | |
| " <i>paniculata, white</i> | | | |
| 2 year | 1 00 | 9 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| " <i>Virginiana, Virgin's Bower</i> | | | |
| 3 year | 1 00 | 8 00 | |
| " <i>Hybrid, strong</i> | | | |
| 2 year | 2 50 | | |

LIST OF VARIETIES OF HYBRID CLEMATIS

- Gypsy Queen, dark blue.
- Henryii, white.
- Jackmanni, purple.
- Lawsoniana, light blue.
- Mevr. le Coultre, white, large
- Sieboldi, lavender.
- Ville de Lyon, bright red.

| | | |
|---|------|-------|
| Dolichos Japonica, (Pueraria) Kudzu Vine | | |
| 3 inch pots | 1 50 | 12 00 |

| | | Per 10 | Per 100 |
|---|------|--------|---------|
| Euonymus radicans | | | |
| 8 to 10 inch | 1 00 | 8 00 | |
| 12 to 15 inch | 1 25 | 10 00 | |
| Hedera Helix, English Ivy | | | |
| 5 inch pots | 2 00 | 20 00 | |
| Jasminum officinale, White Jasmine | | | |
| 5 inch pots | 2 00 | 20 00 | |
| 6 inch pots | 2 50 | 25 00 | |
| Lonicera brachypoda, Evergreen Honeysuckle | | | |
| 2 year | 1 00 | 8 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| " brachypoda aurea, golden-leaved Honeysuckle | | | |
| 5 inch pots | 2 00 | 20 00 | |
| " Halleana, Hall's Honeysuckle | | | |
| 2 year | 85 | 7 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| " Heckrottii | | | |
| 6 inch pots | 2 00 | 20 00 | |
| " punicea, Red Coral | | | |
| 2 year | 1 25 | 10 00 | |
| " sempervirens, Red Coral | | | |
| 5 inch pots | 2 00 | 20 00 | |
| " sinensis, Chinese Honeysuckle | | | |
| 5 inch pots | 2 00 | 20 00 | |
| Lycium chinensis, Matrimony Vine | | | |
| 2 year, strong | 75 | 6 00 | |
| Menispermum canadense, Moon-seed | | | |
| 4 to 4½ ft | 1 75 | 15 00 | |
| Periwinkle, see Vinca Minor | | | |
| Pueraria Thunbergianna, See Dolichos | | | |
| Roses, Climbing, Creeping and Pillar, see shrubs | | | |
| Tecoma, see Bignonia | | | |
| Vinca minor, Periwinkle, Myrtle | | | |
| 2 year | 75 | 5 00 | |
| Vitis heterophylla variegata | | | |
| 3 to 4 ft. | 1 00 | 8 00 | |
| 5 inch pots | 2 00 | 20 00 | |
| Wistaria chinensis, Chinese blue Wistaria | | | |
| 1½ to 2 ft. | 1 75 | 15 00 | |
| 2 to 3 ft. | 2 25 | 20 00 | |
| " chinensis alba, Chinese white W staria | | | |
| 1½ to 2 ft. | 2 25 | 20 00 | |
| 5 inch pots | 3 00 | 30 00 | |
| " chinensis flore plena, double, purple | | | |
| 5 inch pots | 3 50 | 35 00 | |
| " frutescens, American, blue | | | |
| 5 inch pots | 2 50 | | |
| " multijuga, Japanese blue Wistaria | | | |
| 1½ to 2 ft. | 2 50 | | |
| 2 to 2½ ft. | 3 50 | | |

Board of
Park and Cemetery Commissioners
Grand Rapids, Mich.

December 14, 1914.

Thomas Meehan & Sons,
Dresher, Pa.

Gentlemen:—

The Sweet Gums, purchased of you last Spring balled and burlapped, arrived in the very best possible condition, every tree having made a very substantial growth during the Summer. Every tree is alive.

Very truly yours,
EUGENE V. GOEBEL,
Superintendent of Parks.

West Pittston Cemetery

Pittston, Pa., April 28th, 1915.
Messrs. Thomas Meehan & Sons,
Wholesale Nurserymen,
Dresher, Pa.

Dear Sirs:—

Just a line to let you know that the car of deciduous trees and evergreens which you shipped to the West Pittston Cemetery, West Pittston, Penna., arrived O. K., and I must say that I never saw a finer lot of evergreens, and several of the Board of Managers, who have seen the stock, say so too.

You have my sincere thanks, as I was particularly anxious to make a good showing with this planting.

Thanking you for the personal attention given to this order, I remain,

Yours truly,
JOHN STRUTHERS, Sect.

Evergreens

See also Evergreen Shrubs

In no other class of nursery stock are prices usually so deceptive as they are in evergreens, because the height shown in the list gives no idea of the quality. Quality is represented by the bushiness of the plant and the number of times it has been transplanted, because transplanting is what produces the fibrous root system, so all important to an evergreen. Good feeding is also necessary to impart health, vigor and the rich color to the foliage.


Our aim is to produce the best. Health, vigor, good color and an abundant root system, and to accomplish this, we transplant our evergreens every two years into new, heavily manured ground.

All evergreens are dug with ball of earth and the ball sewed in burlap. The cost of this is included in the price quoted in the catalogue.

| | | Per 10 | Per 100 |
|---|----|--------|---------|
| Abies , see also <i>Picea</i> | | | |
| " brachyphylla | | | |
| 3½ to 4 ft. | 22 | 50 | |
| 4 to 5 ft. | 25 | 00 | |
| " Canadensis , see <i>Tsuga canadensis</i> | | | |
| " concolor , see <i>Picea concolor</i> | | | |
| " Douglasii , see <i>Pseudotsuga Douglasii</i> | | | |
| " Nordmanniana , Nordman's Silver Fir | | | |
| 1½ to 2 ft. | 10 | 00 | |
| 2 to 3 ft. | 12 | 50 | |
| 3 to 4 ft. | 15 | 00 | |
| " Veitchii , Japanese Fir | | | |
| 3½ to 4 ft. | 25 | 00 | |
| 4 to 5 ft. | 30 | 00 | |
| 5 to 6 ft. | 35 | 00 | |
| 6 to 7 ft. | 37 | 50 | |
| Juniperus Canadensis , Canadian Juniper | | | |
| 1½ ft. broad | 5 | 00 | 45 00 |
| " Chinensis , Chinese Juniper | | | |
| 2 to 2½ ft. | 12 | 50 | |
| 2½ to 3 ft. | 13 | 50 | |
| 3 to 3½ ft. | 15 | 00 | |

Continued page 45

All evergreens balled and burlapped at the prices listed.




Juniperus Chinensis

This is one of the finest and most hardy of all the Junipers. It is of upright habit and dense in its growth. It possesses a dark green color, which does not change during the winter, but keeps just as green as it is in summer. This is a distinct advantage. It is useful for filling in evergreen beds.

Junipers for Ornamental Planting

Throughout the entire list of Evergreens there are none so useful as the Junipers. First they have the advantages of hardiness, and adaptability to almost all soils and situations. Then they have a character all their own, and the great diversity of color of foliage makes it possible to plant an entire bed or group of them without the use of other species which may not be as hardy or satisfactory. We have gradually been extending our plantings of these Junipers until now we believe we have one of the largest and finest collections in any nursery in this country.

All evergreens balled and burlapped at the prices listed.



Juniperus Chinensis Pfitzeriana

This is without a doubt the most beautiful and graceful of all evergreens. It seems almost impossible to describe its beauty, and we must let the illustration speak for itself. The color of the foliage is dark green without shade or variegation of any sort. It is perfectly hardy anywhere in this country. We have unquestionably the largest stock of this wonderful evergreen in the United States.

Juniperus (Cont.) Per 10 Per 100

" Chinensis argentea variegata, Variegated Chinese Juniper

| | |
|------------------|-------|
| 1 to 1½ ft. | 5 00 |
| 1½ to 2 ft. | 7 50 |
| 2 to 2½ ft. | 10 00 |
| 2½ to 3 ft. | 12 50 |

" Chinensis Pfitzeriana

| | |
|-----------------------------------|-------|
| 1½ to 2 ft. | 7 50 |
| 3½ to 4 ft., heavy specimens | 30 00 |
| 4 to 4½ ft., heavy specimens | 35 00 |
| 4½ to 5 ft., heavy specimens | 40 00 |
| 5 to 5½ ft., heavy specimens | 45 00 |
| 5½ to 6 ft., heavy specimens | 50 00 |

" Chinensis Reevesiana

| | |
|------------------|-------|
| 1½ to 2 ft. | 8 50 |
| 2 to 2½ ft. | 10 00 |
| 2½ to 3 ft. | 12 50 |


Continued page 46

All evergreens balled and burlapped at the prices listed.

| <i>Juniperus</i> (Cont.) | | Per 10 | Per 100 |
|---|-------|--------|---------|
| “ <i>Communis aurea</i> , Golden spreading Juniper | | | |
| 1 to 1½ ft., broad | 5 00 | | |
| 1½ to 2 ft., broad | 10 00 | | |
| 2 to 2½ ft., broad | 15 00 | | |
| 2½ to 3 ft., broad | 20 00 | | |
| “ <i>Communis cracovica</i> | | | |
| 1½ ft. | 5 00 | | |
| “ <i>Neaboriensis</i> | | | |
| 3 to 3½ ft. | 20 00 | | |
| 3½ to 4 ft. | 22 50 | | |
| “ <i>recurva squamata</i> | | | |
| 1½ to 2 ft., broad | 10 00 | | |
| 2 to 2½ ft., broad | 20 00 | | |
| “ <i>Sabina</i> , Savin Juniper | | | |
| 1½ to 2 ft. | 5 00 | | |
| 2 to 2½ ft. | 7 50 | | |
| 2½ to 3 ft. | 10 00 | 85 00 | |
| 3 to 3½ ft. | 12 50 | 100 00 | |
| 3½ to 4 ft. | 15 00 | 125 00 | |
| “ <i>Sabina tamaricifolia</i> , Creeping Juniper | | | |
| 12 to 15 in., broad | 10 00 | | |
| 15 to 18 in., broad | 12 50 | | |
| 1½ to 2 ft., broad | 15 00 | | |
| “ <i>stricta</i> | | | |
| 15 to 18 in. | 3 50 | | |
| 1½ to 2 ft. | 5 00 | | |
| “ <i>Virginiana</i> , Red Cedar | | | |
| 3 to 3½ ft. | 12 50 | | |
| 4 to 4½ ft. | 17 50 | | |
| 4½ to 5 ft. | 20 00 | | |
| “ <i>Virginiana Cannartii</i> | | | |
| 2 to 2½ ft. | 13 50 | | |
| 3 to 3½ ft. | 17 50 | | |
| 3½ to 4 ft. | 20 00 | | |
| “ <i>Virginiana cylindrica</i> | | | |
| 4 to 5 ft. | 25 00 | | |
| 5 to 6 ft. | 30 00 | | |
| <i>Virginiana elegantissima Lee</i> , Golden-tipped Juniper | | | |
| 1½ to 2 ft. | 6 00 | | |
| 2 to 2½ ft. | 7 50 | | |
| 2½ to 3 ft. | 10 00 | | |
| 3 to 3½ ft. | 12 50 | | |

Continued page 47

All evergreens balled and burlapped at the prices listed.



**Juniperus Virginiana Glauca
Blue Red Cedar**

Everyone knows the Native Red Cedar, and there is no evergreen which just fills its place in landscape planting. This is a handsome variety of it, with steel blue foliage. Its hardiness extends to any part of the United States and Canada. We have probably the largest stock of this Blue Cedar in this country.

| | | Per 10 | Per 100 |
|----|--|--------|---------|
| “ | Virginiana glauca, Blue Red Cedar | | |
| 2 | to 2½ ft. | 10 00 | |
| 2½ | to 3 ft. | 13 50 | |
| 3 | to 3½ ft. | 15 00 | |
| 3½ | to 4 ft. | 17 50 | |
| 4 | to 5 ft. | 22 50 | |
| 5 | to 6 ft. | 30 00 | |
| 6 | to 7 ft. | 40 00 | |
| “ | Virginiana globosa, Globe Red Cedar | | |
| | 1½ to 2 ft. | 15 00 | |
| “ | Virginiana plumosa | | |
| | 4 to 5 ft. | 20 00 | |

Continued page 48

All evergreens balled and burlapped at the prices listed.



Juniperus Virginiana Schottii

The *Juniperus Schotti* takes the place of the Common Red Cedar in evergreen planting. It possesses the same character of growth and is quite as hardy. The foliage is of a rich green color.

| <i>Juniperus</i> (Cont.) | | Per 10 | Per 100 |
|---|--|--------|---------|
| “ <i>Virginiana Schottii</i> | | | |
| 2 to 2½ ft. | | 10 | 00 |
| 2½ to 3 ft. | | 12 | 50 |
| 3 to 3½ ft. | | 15 | 00 |
| 3½ to 4 ft. | | 17 | 50 |
| 4 to 5 ft. | | 25 | 00 |
| 5 to 6 ft. | | 30 | 00 |
| “ <i>Virginiana tripartita</i> | | | |
| 2 to 2½ ft. | | 10 | 00 |
| 2½ to 3 ft. | | 15 | 00 |
| <i>Picea</i> , See also <i>Abies</i> | | | |
| “ <i>Alcockiana</i> | | | |
| 4 to 5 ft. | | 17 | 50 |
| 5 to 6 ft. | | 20 | 00 |
| “ <i>Concolor</i> , Colorado Silver Fir | | | |
| 5 to 6 ft. | | 50 | 00 |

Continued page 49

All evergreens balled and burlapped at the prices listed.

| | | Per 10 | Per 100 |
|---|-------|--------|---------|
| Picea (Cont.) | | | |
| “ excelsa , Norway Spruce | | | |
| 1½ to 2 ft. | 3 00 | 25 00 | |
| 2 to 2½ ft. | 3 50 | 30 00 | |
| 2½ to 3 ft. | 5 00 | 40 00 | |
| 3 to 3½ ft. | 7 50 | 60 00 | |
| 3½ to 4 ft. | 10 00 | | |
| 4 to 4½ ft. | 12 50 | | |
| “ excelsa Maxwellii , Dwarf Spruce | | | |
| 1½ to 2 ft., broad | 20 00 | | |
| “ excelsa nana compacta , Dwarf Spruce | | | |
| 1½ ft. by 1½ ft. | 12 50 | | |
| “ excelsa pyramidalis , Pyramidal Norway Spruce | | | |
| 4 to 4½ ft. | 15 00 | | |
| “ Nordmanniana , See <i>Abies</i> | | | |
| “ orientalis , Oriental Spruce | | | |
| 2 to 2½ ft. | 12 50 | | |
| 2½ to 3 ft. | 15 00 | | |
| 3 to 3½ ft. | 17 50 | | |
| 3½ to 4 ft. | 20 00 | | |
| 4 to 4½ ft. | 25 00 | | |
| 4½ to 5 ft. | 30 00 | | |
| “ orientalis gracilis , Dwarf Oriental Spruce | | | |
| 1½ to 2 ft. | 13 50 | | |
| 2 to 2½ ft. | 15 00 | | |
| “ polita , Tiger-tail Spruce | | | |
| 3 to 3½ ft. | 20 00 | | |
| 3½ to 4 ft. | 25 00 | | |
| 4 to 4½ ft. | 30 00 | | |
| “ pungens argentea , Colorado Blue Spruce | | | |
| 2 to 2½ ft. | 15 00 | | |
| 2½ to 3 ft. | 17 50 | | |
| “ pungens Koster's glauca , Colorado Blue Spruce | | | |
| 1½ to 2 ft. | 15 00 | | |
| 2 to 2½ ft. | 20 00 | | |
| 2½ to 3 ft. | 25 00 | | |
| 3 to 3½ ft. | 30 00 | | |
| 3½ to 4 ft. | 35 00 | | |
| “ pungens glauca pendula , Weeping Blue Spruce | | | |
| 6 to 7 ft. | 50 00 | | |
| Pinus cembra , Swiss Stone Pine | | | |
| 2 ft. | 17 50 | | |
| 2½ ft. | 20 00 | | |
| “ Montana , Mountain Pine | | | |
| 1½ to 2 ft. | 10 00 | | |
| 2 to 2½ ft. | 12 50 | | |
| 2½ to 3 ft. | 15 00 | | |
| “ Mughus , Dwarf Mountain Pine | | | |
| 12 to 15 in., broad | 8 50 | 75 00 | |
| 15 to 18 in., broad | 10 00 | 90 00 | |
| 1½ to 2 ft., broad | 12 50 | 100 00 | |
| 2 to 2½ ft., broad | 13 50 | 125 00 | |

Continued page 50

All evergreens balled and burlapped at the prices listed.

| | | Per 10 | Per 100 |
|--|--|--------|---------|
| Pinus (Cont.) | | | |
| “ <i>strobos</i> , White Pine | | | |
| 1½ to 2 ft. | | 3 50 | |
| 2 to 2½ ft. | | 5 00 | |
| 2½ to 3 ft. | | 7 50 | |
| “ <i>sylvestris Wateriana</i> , Dwarf Scotch Pine | | | |
| 1 to 1½ ft., broad | | 12 50 | |
| Pseudotsuga Douglasii, Douglas Fir | | | |
| 2 to 2½ ft. | | 10 00 | |
| 2½ to 3 ft. | | 12 50 | |
| 3 to 3½ ft. | | 15 00 | |
| 3½ to 4 ft. | | 17 50 | |
| Retinispora filicoides | | | |
| 2 to 3 ft. | | 12 50 | |
| “ <i>filifera</i> , Thread-leaved Cypress | | | |
| 1½ to 2 ft. | | 6 50 | |
| 2 to 2½ ft. | | 10 00 | |
| 2½ to 3 ft. | | 12 50 | |
| 3 to 3½ ft. | | 15 00 | |
| 3½ to 4 ft. | | 17 50 | |
| 4 to 4½ ft. | | 20 00 | |
| 6 to 7 ft. | | 35 00 | |
| “ <i>filifera aurea</i> , Golden thread-leaved Cypress | | | |
| 1½ to 2 ft. | | 12 50 | |
| 2 to 2½ ft. | | 15 00 | |
| 2½ to 3 ft., heavy specimens | | 20 00 | |
| 3 to 3½ ft., heavy specimens | | 25 00 | |
| 3½ to 4 ft., heavy specimens | | 30 00 | |
| “ <i>leptoclada</i> | | | |
| 4½ to 5 ft. | | 20 00 | |
| “ <i>obtusa</i> | | | |
| 1½ to 2 ft. | | 6 50 | |
| 2 to 2½ ft. | | 10 00 | |
| 2½ to 3 ft. | | 12 50 | |
| “ <i>obtusa Crippsii</i> , Golden Cypress | | | |
| 2 to 2½ ft. | | 13 50 | |
| 2½ to 3 ft. | | 15 00 | |
| “ <i>obtusa gracilis</i> | | | |
| 1½ to 2 ft. | | 7 50 | |
| 2 to 2½ ft. | | 12 50 | |
| 2½ to 3 ft. | | 15 00 | |
| 3 to 3½ ft. | | 17 50 | |
| 3½ to 4 ft. | | 20 00 | |
| “ <i>obtusa nana</i> , Dwarf Cypress | | | |
| 8 to 10 in. | | 6 00 | |
| 10 to 12 in. | | 7 50 | |
| 12 to 15 in. | | 8 50 | |
| 15 to 18 in. | | 10 00 | |
| 18 to 20 in. | | 12 50 | |
| 2 to 2½ ft. | | 17 50 | |
| 2½ to 3 ft. | | 20 00 | |
| 3 to 3½ ft. | | 25 00 | |
| 3½ to 4 ft. | | 30 00 | |
| “ <i>obtusa nana aurea</i> , Golden dwarf Cypress | | | |
| 1½ to 2 ft. | | 12 50 | |
| 2 to 2½ ft. | | 15 00 | |
| 2½ to 3 ft. | | 17 50 | |
| 3 to 3½ ft. | | 20 00 | |

Continued page 51

All evergreens balled and burlapped at the prices listed.



Retinispora Plumosa Aurea

The beautiful golden Retinispora is almost indispensable in evergreen planting. While of fairly rapid growth it may be kept any size desired by constant shearing, and this shearing adds to its beauty as the golden color is brighter on the new and young growth. We have a large stock of this magnificent evergreen, and in large sizes.

Retinispora (Cont.)

Per 10 Per 100

" *obtusa pygmaea*, Dwarf Cypress

1½ to 2 ft. 17 50

" *pisifera*

1 to 1½ ft. 4 00

1½ to 2 ft. 6 00

2 to 2½ ft. 7 50

2½ to 3 ft. 10 00

3 to 3½ ft. 13 50

3½ to 4 ft. 15 00

4 to 4½ ft. 17 50

Continued page 52

All evergreens balled and burlapped at the prices listed.

| <i>Retinispora</i> (Cont.) | Per 10 | Per 100 |
|--|--------|---------|
| “ <i>pisifera aurea</i> , Golden Cypress | | |
| 1 to 1½ ft. | 4 00 | |
| 1½ to 2 ft. | 6 00 | |
| 2 to 2½ ft. | 7 50 | |
| 2½ to 3 ft. | 10 00 | |
| 3 to 3½ ft. | 13 50 | |
| 3½ to 4 ft. | 15 00 | |
| 4 to 4½ ft. | 17 50 | |
| “ <i>plumosa</i> , Plume-like Cypress | | |
| 1½ to 2 ft. | 6 00 | |
| 2 to 2½ ft. | 7 50 | |
| 2½ to 3 ft. | 10 00 | |
| 3 to 3½ ft. | 13 50 | |
| 3½ to 4 ft. | 15 00 | |
| “ <i>plumosa aurea</i> , Golden Cypress | | |
| 1 to 1½ ft. | 4 00 | |
| 1½ to 2 ft. | 6 00 | |
| 2 to 2½ ft. | 7 50 | |
| 2½ to 3 ft. | 10 00 | |
| 3 to 3½ ft. | 13 50 | |
| 3½ to 4 ft. | 15 00 | |
| 5 to 6 ft., very broad | 25 00 | |
| 6 to 7 ft., very broad | 30 00 | |
| 7 to 8 ft., very broad | 40 00 | |
| 8 to 10 ft., very broad | 50 00 | |
| “ <i>squarrosa Veitchii</i> , Silver Cypress | | |
| 1½ to 2 ft. | 6 00 | |
| 2 to 2½ ft. | 7 50 | |
| 2½ to 3 ft. | 10 00 | |
| <i>Sciadopitys verticillata</i> , Japanese Umbrella Pine | | |
| 1½ to 2 ft. | 15 00 | |
| 2 to 2½ ft. | 20 00 | |
| 2½ to 3 ft. | 25 00 | |
| <i>Taxus Cuspidata</i> , Japanese Yew | | |
| 2 to 2½ ft. | 12 50 | |
| 2½ to 3 ft. | 17 50 | |
| “ <i>cuspidata brevifolia</i> , Japanese Yew | | |
| 2 to 2½ ft. | 20 00 | |
| “ <i>repanda</i> | | |
| 2 to 2½ ft., broad | 20 00 | |
| <i>Thuya occidentalis</i> , American Arbor Vitae | | |
| 2 to 2½ ft. | 3 50 | 30 00 |
| 3 to 3½ ft. | 6 00 | 50 00 |
| 3½ to 4 ft. | 7 50 | 65 00 |
| 4 to 4½ ft. | 8 50 | 75 00 |
| 4½ to 5 ft. | 10 00 | 85 00 |
| 5 to 6 ft. | 12 50 | 100 00 |
| 6 to 7 ft. | 20 00 | |
| “ <i>occidentalis cristata variegata</i> | | |
| 1 to 1½ ft. | 7 50 | |
| “ <i>occidentalis Geo. Peabody</i> , Golden Arbor Vitae | | |
| 1½ to 2 ft. | 6 50 | |
| 2 to 2½ ft. | 7 50 | |
| 2½ to 3 ft. | 10 00 | |
| 3 to 3½ ft. | 13 50 | |



Thuya pyramidalis
Pyramidal Arbor Vitae

| Thuya (Cont.) | | Per 10 | Per 100 |
|---|---|--------|---------|
| " <i>occidentalis</i> | <i>Hoveyii</i> , Hovey's Golden Arbor Vitae | | |
| 2 | to 2½ ft. | 6 00 | 50 00 |
| 2½ | to 3 ft., very heavy | 7 50 | 70 00 |
| 3 | to 3½ ft., very heavy | 10 00 | |
| " <i>occidentalis plicata</i> , Fern-leaved | | | |
| 3 | to 3½ ft. | 15 00 | |
| 4 | to 5 ft. | 22 50 | |
| " <i>occidentalis pyramidalis</i> , Pyramidal Arbor Vitae | | | |
| 1½ | to 2 ft. | 3 50 | |
| 2 | to 2½ ft. | 4 00 | 35 00 |
| 3 | to 3½ ft. | 6 00 | 50 00 |
| 3½ | to 4 ft. | 7 50 | 65 00 |
| 4 | to 4½ ft. | 8 50 | 75 00 |
| 4½ | to 5 ft. | 10 00 | 85 00 |
| 5 | to 6 ft. | 12 50 | 100 00 |
| " <i>occidentalis Rosenthali</i> | | | |
| 1½ | to 2 ft. | 5 00 | |
| 2 | to 2½ ft. | 7 50 | |
| 3½ | to 4 ft. | 17 50 | |

Continued page 54

All evergreens balled and burlapped at the prices listed.

| | | Per 10 | Per 100 |
|---|-------|--------|---------|
| Thuya (Cont.) | | | |
| " <i>occidentalis semper-aurea</i> | | | |
| 2 to 3 ft. | 7 50 | | |
| 3 to 4 ft. | 12 50 | | |
| " <i>occidentalis Siberica (Wareana)</i> | | | |
| 1 to 1½ ft. | 3 50 | 30 00 | |
| 1½ to 2 ft. | 5 00 | 40 00 | |
| 2 to 2½ ft. | 7 50 | 65 00 | |
| 2½ to 3 ft. | 10 00 | 90 00 | |
| 3 to 3½ ft. | 13 50 | | |
| 3½ to 4 ft. | 15 00 | | |
| 4 to 5 ft. | 20 00 | | |
| 5 to 6 ft. | 25 00 | | |
| " <i>occidentalis spiralis</i> | | | |
| 4 to 5 ft. | 15 00 | | |
| 5 to 6 ft. | 17 50 | | |
| " <i>occidentalis Standishii</i> | | | |
| 3 to 3½ ft. | 12 50 | | |
| 3½ to 4 ft. | 15 00 | | |
| " <i>Orientalis nana aurea, Dwarf golden</i> | | | |
| 1½ ft. | 8 00 | | |
| Tsuga canadensis, Hemlock Spruce | | | |
| 1½ to 2 ft. | 5 00 | 40 00 | |
| 2 to 2½ ft. | 7 50 | 60 00 | |
| 3½ to 4 ft., very heavy | 17 50 | | |
| 4 to 5 ft., heavy specimens | 25 00 | | |
| 5 to 6 ft., heavy specimens | 35 00 | | |
| 6 to 7 ft. | 40 00 | | |
| " <i>canadensis compacta, Compact Hemlock</i> | | | |
| 1½ to 2 ft., heavy | 25 00 | | |
| " <i>canadensis Sargentii pendula, Sargent's Weeping Spruce</i> | | | |
| 1½ to 2 ft. | 10 00 | | |
| " <i>Sieboldii, Japanese Hemlock Spruce</i> | | | |
| 2 to 2½ ft. | 15 00 | | |
| 3 to 3½ ft. | 20 00 | | |
| 3½ to 4 ft. | 25 00 | | |
| 4 to 4½ ft. | 30 00 | | |

Evergreen Shrubs

| | | Per 10 | Per 100 |
|---|-------|--------|---------|
| Abelia grandiflora, Hybrid Abelia | | | |
| 10 to 12 inch 4 inch pots | 2 50 | | |
| Andromeda floribunda, (Pieris) | | | |
| 15 in. clumps | 10 00 | | |
| 2 to 2½ ft. | 12 50 | | |
| Azalea amoena, Evergreen Azalea | | | |
| 12 to 15 inch broad | 7 50 | | |
| " <i>amoena Hinodegiri, Japanese evergreen Azalea</i> | | | |
| 12 to 15 inch broad | 10 00 | | |
| " <i>Kaempferi, Salmon pink</i> | | | |
| 12 to 15 inch bushy | 7 50 | | |
| " <i>Iedifolia alba, pure white, Chinese Azalea</i> | | | |
| 15 in. bushy | 10 00 | | |
| Berberis aquifolia, See Mahonia | | | |
| " <i>ilicifolia, Holly-leaved Barberry</i> | | | |
| 1½ to 2 ft. | 1 50 | 15 00 | |
| 2 to 2½ ft. | 2 0 | 20 00 | |

Continued page 55


| | | Per 10 | Per 100 |
|--|-------|--------|---------|
| Berberis Sieboldi | | | |
| 1½ to 2 ft. | | 1 50 | 15 00 |
| Buxus arborescens, Bush form | | | |
| 10 to 12 in. | | 1 75 | 15 00 |
| 15 to 18 in. | | 2 50 | 22 00 |
| 18 to 20 in. | | 3 00 | 25 00 |
| 20 to 24 in. | | 3 50 | 30 00 |
| 2 ft. | | 8 50 | |
| 3 ft. | | 40 00 | |
| 4 ft. | | 60 00 | |
| " arborescens, Globes | | | |
| 18 in. diameter | | 20 00 | |
| " arborescens, Pyramids | | | |
| 2½ ft. | | 15 00 | |
| 3 ft. | | 20 00 | |
| 4 ft. | | 30 00 | |
| 5 to 5½ ft. | | 50 00 | |
| " suffruticosa, Dwarf Box Edging | | | |
| 4 to 6 in. heavy | | 65 | 5 00 |
| 6 to 8 in. heavy | | 1 00 | 8 00 |
| Calluna vulgaris, Heather | | | |
| 6 to 8 in., 3½ inch pots | | 2 50 | 25 00 |
| Crataegus pyracantha Lalandi, Evergreen Thorn | | | |
| 1 to 1½ ft. | | 2 00 | — |
| 1½ to 2 ft. | | 2 50 | |
| Daphne cneorum, pink | | | |
| 10 to 12 in. clumps | | 5 00 | 50 00 |
| Erica stricta, Heath | | | |
| 15 to 18 inch, 5 inch pots | | 2 50 | 25 00 |
| Euonymus Japonicus, Green-leaved | | | |
| 1½ to 2 ft., 5 inch pots | | 3 09 | 25 00 |
| " Japonicus aureus, Golden-leaved | | | |
| 14 to 16 inches, 5 inch pots | | 3 00 | 25 00 |
| Ilex crenata, Japanese Holly | | | |
| 15 to 18 in. | | 3 00 | — |
| 3 to 3½ ft. bush form | | 20 00 | |
| 6 to 7 ft. pyramids | | 50 00 | |
| Kalmia latifolia, Laurel | | | |
| 1½ to 2 ft. | | 6 50 | 60 00 |
| 2 to 2½ ft. | | 7 50 | 75 00 |
| Leucothaea Catesbaei | | | |
| 15 to 18 inch clumps | | 4 00 | 35 00 |
| Mahonia aquifolium | | | |
| 1 to 1½ ft. | | 1 25 | 10 00 |
| Rhododendron Catawbiense | | | |
| 2 ft. | | 7 50 | 75 00 |
| 3 ft. | | 10 00 | 90 00 |
| " maximum roseum, pink | | | |
| 2½ to 3 ft. | | 8 50 | |

Continued page 56

HYBRID RHODODENDRONS

ALL PLANTS ARE WELL BUDED

| | | Per 10 | Per 100 |
|--|--|--------|---------|
| Album elegans , white | | | |
| 1½ to 2 ft. | | 8 50 | |
| 2 to 3 ft. | | 12 50 | |
| Album grandiflorum , flesh white | | | |
| 1½ to 2 ft. | | 8 50 | |
| Album novum , white | | | |
| 3 to 4 ft. | | 20 00 | |
| Boule de Niege , white, dwarf | | | |
| 1½ to 2 ft. | | 8 50 | |
| Caractacus , crimson | | | |
| 2 to 3 ft. | | 12 50 | |
| 3 to 4 ft. | | 20 00 | |
| Chas. Bagley , crimson | | | |
| 1½ to 2 ft. | | 8 50 | |
| 3 to 4 ft. | | 20 00 | |
| Everestianum , lilac rose | | | |
| 1½ to 2 ft. | | 8 50 | |
| General Grant , soft rosy red | | | |
| 1½ to 2 ft. | | 8 50 | |
| Giganteum , cherry red | | | |
| 1½ to 2 ft. | | 8 50 | |
| Lady Armstrong , rosy crimson | | | |
| 1½ to 2 ft. | | 8 50 | |
| 2 to 3 ft. | | 12 50 | |
| 3 to 4 ft. | | 20 00 | |
| Lady Clermont , rosy crimson | | | |
| 1½ to 2 ft. | | 8 50 | |
| 2 to 3 ft. | | 12 50 | |
| 3 to 4 ft. | | 20 00 | |
| Mrs. Milner , rosy crimson | | | |
| 1½ to 2 ft. | | 8 50 | |
| Parson's grandiflorum , rose | | | |
| 1½ to 2 ft. | | 8 50 | |
| Purpureum elegans , purplish rose | | | |
| 1½ to 2 ft. | | 8 50 | |
| Roseum elegans , rose | | | |
| 1½ to 2 ft. | | 8 50 | |
| Yucca filamentosa , Adam's Needle | | | |
| 3 year | | 1 25 | 10 00 |
| 4 year | | 1 35 | |



Meehan's Mallow Marvels

Sometimes named "Giant Flowering Marshmallows"

SINCE the introduction of our Mallows several years ago, thousands of them have been widely distributed over the entire country and have given the utmost satisfaction. They are now specified in planting lists by Landscape Engineers, Superintendents of Parks and Cemeteries.

It makes a vigorous growth—strong roots making a bushy clump five to seven feet in one season and blooming profusely from midsummer to frost. Being an herbaceous plant it dies to the ground in the fall, shooting from the root again the following spring.

The flowers measure from eight to twelve inches in diameter, and are sold in separate colors, in red, pink and white.

The plant is extremely hardy, having been tested and grown in all parts of the United States and Canada.

It grows naturally in moist ground but thrives equally as well in any good, rich soil.

This same plant has recently been catalogued by other nurserymen under the name of "Giant Flowering Marshmallows."

Hardy Herbaceous Perennials

Ornamental Grasses and Ferns

Our Herbaceous Department is in charge of experts, men who are thoroughly trained in the growing, handling and shipping of these popular plants. By a thorough system of propagation and transplanting our stock is kept in the highest state of perfection, so that every plant we send out is young, vigorous and brought to a condition where it will give the customer the best results.

In making comparison of our prices with those of other nurseries bear in mind the fact that our plants are mostly field grown clumps and not the small divisions usually supplied by other growers.

July to September, etc., indicates the period of flowering.

| | Per 10 | Per 100 |
|--|--------|---------|
| <i>Achillea Ptarmica plena</i> , "The Pearl," double white, July | 80 | 6 00 |
| <i>Aegopodium podograria variegata</i> , variegated foliage | 80 | 6 00 |
| <i>Agrostemma coronaria</i> , purplish-crimson, June | 1 00 | 8 00 |
| <i>Ajuga genevensis</i> , Bugle, blue, May | 1 00 | 7 00 |
| " <i>reptans</i> , blue, May | 1 00 | 7 00 |
| <i>Alyssum saxatile compactum</i> , yellow, May | 80 | 6 00 |
| <i>Anchusa Italica</i> , Dropmore variety, dark blue, June to Sept. | 1 50 | 12 00 |
| <i>Anemone Japonica Whirlwind</i> , white, Sept. to Nov. | 1 00 | 8 00 |
| " <i>Japonica rubra</i> , red, Sept to Nov. | 1 00 | 8 00 |
| <i>Anthemis tinctoria Kelwayi</i> , Chamomile, yellow, July | 80 | 6 00 |
| <i>Aquilegia caerulea</i> , Columbine, Blue, May | 1 00 | 8 00 |
| " <i>caerulea alba</i> , white, May | 1 00 | 8 00 |
| " <i>chrysanthia</i> , yellow, June | 1 00 | 8 00 |
| " <i>nana plenissima</i> , dwarf, double, dark purple, May | 1 00 | 8 00 |
| " <i>vulgaris</i> , various colors, May | 1 00 | 8 00 |
| " <i>vulgaris alba</i> , white, May | 1 00 | 8 00 |
| <i>Armeria maritima</i> , pink, May | 1 00 | 8 00 |
| <i>Artemisia Arbrutum</i> , "Old Man" | 80 | 6 00 |
| " <i>pontica</i> , "Old Woman" Silver Foliage .. | 80 | 6 00 |
| " <i>Stelleriana</i> , silvery foliage | 80 | 6 00 |
| <i>Asclepias tuberosa</i> , Butterfly Plant, July | 1 00 | 8 00 |
| <i>Aster alpina</i> , bright purple, June and July .. | 80 | 6 00 |
| " <i>Lil Fardel</i> , mauve, Sept. | 80 | 6 00 |
| " <i>Novae-Angliae</i> , purple, Sept. to Oct. .. | 80 | 6 00 |
| " <i>Novae-Angliae alba</i> , white, Sept to Oct. .. | 1 00 | 8 00 |
| " <i>Novae-Angliae rosea</i> , rose, Sept. | 80 | 6 00 |
| " <i>ptarmicoides</i> , white, Aug. to Oct. | 1 00 | 8 00 |
| " <i>Tataricus</i> , light purple, late fall | 80 | 6 00 |
| <i>Belamcanda Chinensis</i> , Blackberry Lily, red and orange, Aug. to Sept. | 75 | 5 00 |
| <i>Bocconia cordata</i> , Plume Poppy | 80 | 6 00 |
| <i>Boltonia latisquama</i> , Starwort, pale pink, Aug. | 80 | 6 00 |

| | | Per 10 | Per 100 |
|--|------|--------|---------|
| Campanula carpatica , Bellflowers, blue, July | | | |
| to Sept. | 1 00 | 8 00 | |
| " <i>glomerata</i> , blue, June | 1 00 | 8 00 | |
| " <i>media</i> , Canterbury Bells, assorted var... | 1 00 | 8 00 | |
| " <i>persicifolia</i> , blue, June to July | 1 00 | 8 00 | |
| Cassia marylandica , Senna, yellow, July | 80 | 6 00 | |
| Centaurea macrocephala , yellow, July | 1 00 | 8 00 | |
| " <i>montana</i> , blue, June and July | 1 00 | 8 00 | |
| Cerastium Biebersteinii , white, April and May | 80 | 6 00 | |
| Chrysanthemum Shasta Daisy , white, all summer | 1 00 | 8 00 | |
| Clematis Davidiana , blue, July | 1 50 | 10 00 | |
| Convallaria majalis , Lily of Valley, Clumps .. | 2 50 | 20 00 | |
| Coreopsis lanceolata grandiflora , Tickseed, golden yellow, summer | 80 | 6 00 | |
| " <i>senifolia</i> , yellow, June | 1 00 | 8 00 | |
| " <i>tripteris</i> , yellow, August | 1 00 | 8 00 | |
| Coronilla varia , Crown Veitch, pink, June ... | 80 | 6 00 | |
| Delphinium Chinense , Chinese Larkspur, blue and white, June to August | 1 00 | 8 00 | |
| " <i>elatum</i> , English Hybrids, Tall Larkspur Shades of blue, June to August | 1 00 | 8 00 | |
| " <i>formosum</i> , Indigo, July | 1 00 | 3 00 | |
| Dianthus barbatus , Sweet William, many colors, May and June | 80 | 6 00 | |
| " <i>barbatus alba</i> , white, May | 80 | 6 00 | |
| " <i>barbatus Newport Pink</i> , May | 80 | 6 00 | |
| " <i>diadematis</i> , white, red center, May | 1 00 | 8 00 | |
| " <i>plumarius Carmen</i> , double pink, May .. | 1 00 | 8 00 | |
| " <i>plumarius Countess Knutt</i> , yellow, May .. | 1 50 | 10 00 | |
| " <i>plumarius</i> , Her Majesty, double white, May | 1 00 | 8 00 | |
| " <i>plumarius</i> , Lord Lyon, double rose crimson, May | 1 00 | 8 00 | |
| Dicentra spectabilis , Bleeding Heart, pink, April and May | 1 50 | 10 00 | |
| Dictamnus fraxinella , Gas Plant, red, June .. | 2 00 | 15 00 | |
| Digitalis purpurea , Fox Glove, purple, May and June | 1 00 | 8 00 | |
| " <i>purpurea alba</i> , white, May and June .. | 1 00 | 8 00 | |
| Doronicum plantagineum excelsum , Leopard's Bane, yellow, April to June | 1 00 | 8 00 | |
| Echinacea purpurea , Cone Flower, pink, July | 1 00 | 8 00 | |
| Echinops Ritro , Globe Thistle, deep blue, Aug. | 1 00 | 8 00 | |
| Epimedium nivale , white, May | 1 50 | 10 00 | |
| Eryngium planum , blue, July | 1 00 | 8 00 | |
| Eupatorium ageratoides , Hardy Ageratum, white, September | 1 00 | 8 00 | |
| " <i>coelestinum</i> , blue, October | 1 00 | 8 00 | |
| Funkia coerulea , Plantain Lilies, blue, July | 80 | 5 00 | |
| " <i>lancifolia</i> , blue, July | 80 | 6 00 | |
| " <i>subcordata grandiflora</i> , white, August .. | 1 50 | 10 00 | |
| " <i>undulata variegata</i> , white, foliage | 1 00 | 8 00 | |
| Gaillardia grandiflora , Blanket Flower, yellow and crimson | 80 | 6 00 | |
| " <i>grandiflora compacta</i> , yellow and crimson, July to September | 80 | 6 00 | |
| Geranium sanguineum , rose, June to Sept. ... | 80 | 6 00 | |

| | Per 10 | Per 100 |
|---|--------|---------|
| <i>Geum coccineum</i> , scarlet, June | 80 | 6 00 |
| " <i>Heldrichi</i> , orange, June and July | 1 00 | 8 00 |
| <i>Glaucium Fisheri</i> , yellow, white foliage | 1 00 | 8 00 |
| <i>Gypsophila paniculata</i> , Baby's Breath, white, July and August | 1 00 | 8 00 |
| " <i>nana compacta</i> , white, July and August | 1 00 | 8 00 |
| <i>Helenium autumnale superbum</i> , Sneezewort clear yellow, August | 1 00 | 8 00 |
| " <i>Riverton Beauty</i> , bronze, August | 1 00 | 8 00 |
| <i>Helianthemum vulgare</i> , yellow, May | 80 | 6 00 |
| <i>Helianthus decapetalus multiflorus Soliel d'Or</i> double yellow, Aug. and Sept. | 1 00 | 8 00 |
| " <i>doronicoides</i> , yellow, July and August | 80 | 6 00 |
| " <i>giganteus</i> , yellow, August to Sept. | 80 | 6 00 |
| " <i>laetiflorus</i> , yellow dark centre, Aug. and Sept. | 80 | 6 00 |
| " <i>Maximilliana</i> , yellow, Sept. and Oct. | 80 | 6 00 |
| " <i>mollis</i> , yellow, September | 80 | 6 00 |
| " <i>orgyalis</i> , yellow, September | 80 | 6 00 |
| " <i>rigidus</i> , Miss Mellish, yellow, August .. | 80 | 6 00 |
| <i>Heliopsis scabra major</i> , orange, June to Aug. | 80 | 6 00 |
| <i>Hemerocallis Dumortierii</i> , Day Lilies, orange, June | 1 00 | 8 00 |
| " <i>flava</i> , lemon yellow, June | 1 00 | 8 00 |
| " <i>fulva</i> , bronze, August | 80 | 6 00 |
| " <i>fulva</i> fl. pl., bronze double, August | 80 | 6 00 |
| " <i>Meehan's Hybrids</i> , orange, very large .. | 1 00 | 8 00 |
| " <i>rutilans</i> , orange, May and June | 1 00 | 8 00 |
| " <i>Thunbergi</i> , yellow, July | 1 00 | 8 00 |
| <i>Hollyhock</i> , double, separate colors, June to August | 1 00 | 8 00 |
| " single, mixed, June to August | 1 00 | 8 00 |
| <i>Iberis sempervirens</i> , Candytuft, white, April.. | 1 00 | 8 00 |
| <i>Iris aurea</i> , yellow, May | 1 00 | 8 00 |
| " <i>Cengialti</i> , deep lavender, May and June | 80 | 6 00 |
| " <i>florentina</i> , Orris Root, white, May | 80 | 6 00 |
| " <i>Germanica</i> , German Iris, best assorted | 80 | 6 00 |

List of Varieties of Iris Germanica

Alexander Von Humboldt. Light blue self.

Celeste. Delicate blue self.

Coelestine. Pretty lavender self.

Favorite, Lilac margined white.

Lady Alice, Standards lavender, falls purple.

Lady Frances. Delicate lavender.

Mad. Chereau. White fringed blue.

Mad. Pacquette. Smoky wine color.

Purpurea. Rich purple.

San Souci. Standard yellow, falls striped brown.

Queen of May. Pink.

Silver King. Silvery white self.

Victor. Sulphur yellow.

| <i>Iris laevigata (Kaempferi)</i> , Japanese Iris, Per 10 | Per 100 |
|---|---------|
| in fine assorted named kinds, July .. | 1 00 |
| " <i>pumila</i> , Dwarf Iris, Various, April | 80 |
| " <i>Siberica orientale</i> , Siberian Iris, indigo blue, June | 1 00 |
| " <i>Siberica Snow Queen</i> , white | 1 00 |

Meehan's Mallow Marvels

Sometimes named "GIANT FLOWERING MARSHMALLOWES"

Prices for Strong 2 Year Roots

| | Per 10 | Per 100 |
|---------------------|--------|---------|
| Red Mallows | 2 00 | 15 00 |
| Pink Mallows | 1 00 | 8 00 |
| White Mallows | 1 25 | 10 00 |

Prices for Strong 3 Year Roots

| | | |
|---------------------|------|-------|
| Red Mallows | 3 00 | 25 00 |
| Pink Mallows | 1 50 | 12 00 |
| White Mallows | 2 00 | 15 00 |

Lathyrus grandiflorus, Perennial Pea, pink

June to August

Lavandula vera, Sweet Lavender, July—Aug.**Lilies**

Per 10 Per 100

| | | |
|--|------|-------|
| <i>Lilium auratum</i> , Gold-banded lily of Japan, white spotted, July | 2 00 | 15 00 |
| " <i>candidum</i> , white, May, June | 1 50 | 12 00 |
| " <i>elegans</i> , yellow, July and August | 1 50 | 12 00 |
| " <i>speciosum album</i> , white, Aug. and Sept., pot grown | 2 00 | 15 00 |
| " <i>speciosum roseum</i> , rose, Aug. and Sept., pot grown | 2 00 | 15 00 |
| " <i>superbum</i> , orange red, July and Aug., pots | 1 50 | 12 00 |
| " <i>tigrinum splendens</i> , Tiger Lily, orange spotted, Aug., pot grown | 1 50 | 12 00 |

Lobelia cardinalis, Cardinal Flower, scarlet

Aug. and Sept.

Lychnis chalcedonica, Scarlet Lightning, scar-
let, July" *Flos-cuculi*, Ragged Robin, red, May ...*Lysimachia clethroides*, Loosestrife, white,
July to Sept.*Lythrum roseum superbum*, purple, June and
July*Monarda didyma*, Cambridge scarlet, Berga-
mot, Aug. to Sept." *fistulosa alba*, white, Aug. and Sept. ..." *fistulosa purpurea*, purple, Aug. and
Sept.*Myosotis palustris semperflorens*, Forget-Me-
Not, blue, April and May*Nepeta Glechoma variegata*, Ground Ivy, blue,
April and May*Oenothera Missouriensis*, Evening Primroses,
yellow, July and Aug." *speciosa*, large white, June and July .." *Youngii*, yellow, June to Sept.*Paeony officinalis fl. pl.* Early double Crimson" *tenuifolia*, Fennel leaved Paeony, double

Crimson

" *Canary*, Straw colored" *Delachii*, Deep Crimson" *Festiva Maxima*, white" *Gen. Schofield*, Rose....." *grandiflora rosea*, Rose

Continued page 62

| | | Per 10 | Per 100 |
|---|------|--------|---------|
| Paeony (Cont.) | | | |
| “ L'Eclatante , Dazzling rose | 3 00 | 25 00 | |
| “ Leslie , Pink | 3 00 | 25 00 | |
| “ Louis Van Houttei , Deep Crimson | 3 00 | 25 00 | |
| “ Mrs. Fletcher , Deep rose | 3 00 | 25 00 | |
| “ Papaveriflora , Bright rose | 3 00 | 25 00 | |
| “ Reine des Francais , Purplish rose, straw center | 3 00 | 25 00 | |
| “ Robert Burns , Pink | 2 00 | 15 00 | |
| “ Our selection of named kinds | 1 50 | 12 00 | |
| Papaver Orientale , Oriental Poppies, crimson, June | 1 00 | 8 00 | |
| “ Orientale Livermore , crimson, June | 1 00 | 8 00 | |
| “ Orientale Princess Ena , light orange salmon, June | 1 50 | 10 00 | |
| “ Orientale Royal Scarlet , scarlet, June .. | 1 00 | 8 00 | |
| Pentstemon barbatus Torreyi , coral red, Aug. | 1 00 | 8 00 | |
| “ digitalis , Bearded Tongue, white, July .. | 80 | 6 00 | |
| Phlox amoena , pink, April | 80 | 6 00 | |
| “ decussata , best assortment of varieties | 1 00 | 9 00 | |

LIST OF VARIETIES OF CARDEN PHLOX DECUSSATA

Aurora Borealis, Orange crimson.
Champs Elysees. Rich purplish crimson.
Embrazement, Orange-scarlet.
Epopee. Violet, bright fiery center.
Gen. Chanzy. Orange scarlet.
Independence. White.
Lothair. Salmon, cardinal eye.
Mrs. Jenkins. Creamy white.
Pacha. Deep pink.
Prof. Schliemann. Deep pink.
Queen. Pure white.
Richard Wallace. White, violet-carmine centre.
R. P. Struthers. Scarlet-pink, dark centre.
William Robinson. Tall salmon pink.

| | | Per 10 | Per 100 |
|---|------|--------|---------|
| Phlox sublata rosea , Creeping Phlox, pink, April and May | 80 | 6 00 | |
| “ subulata Sadie , lavender, April and May | 80 | 6 00 | |
| Physostegia Virginica , Obedient Plant, lilac August | 80 | 6 00 | |
| “ Virginica alba , white, Aug. and Sept. | 1 00 | 8 00 | |
| Platycodon Mariesii macrantha , blue, dwarf, July to October | 1 00 | 8 00 | |
| Plumbago Larpentae , French blue, August .. | 1 00 | 8 00 | |

| | Per 10 | Per 100 |
|--|--------|---------|
| Polemonium Richardsoni alba , white, May .. | 80 | 6 00 |
| Polygonum cuspidatum , white, August, Sept. | 80 | 6 00 |
| " <i>compactum</i> , dwarf white, Aug. and Sept. | 1 00 | 8 00 |
| Primula Polyanthus , various, May | 1 00 | 8 00 |
| Pyrethrum roseum , various, May | 1 00 | 8 00 |
| " <i>uliginosum</i> , White Daisy, Sept. | 1 00 | 8 00 |
| Ranunculus acris fl. pl. Double Buttercup, June | 80 | 6 00 |
| Rudbeckia laciniata , Golden Glow, yellow, August | 80 | 6 00 |
| " <i>Newmanni</i> , Black Eyed Susan golden yellow, July and August | 80 | 6 00 |
| " <i>sub-tomentosa</i> , yellow, August | 1 00 | 8 00 |
| Salvia azurea grandiflora , blue, August | 1 00 | 8 00 |
| " <i>argentea</i> , large silvery foliage | 1 00 | 8 00 |
| Santoline incana , Lavender Cotton | 80 | 6 00 |
| Saponaria officinalis fl. pl. Bouncing Bet, pinkish-white, Aug. and Sept. | 80 | 6 00 |
| Saxifraga crassifolia , pink, April | 1 00 | 8 00 |
| Sedum spectabilis , pink, Aug. and Sept. | 1 00 | 8 00 |
| Senecio clivorum , orange, August | 1 00 | 8 00 |
| " <i>pulcher</i> , magenta | 1 50 | 10 00 |
| Sisyrinchium Bermudianum , Star Grass, blue, May | 80 | 6 00 |
| Spiraea astilboides , white, May | 1 00 | 8 00 |
| " <i>Japonica</i> , white, May | 1 00 | 8 00 |
| " <i>Lemoinei pyramidalis</i> , white, May | 1 00 | 8 00 |
| " <i>lobata-venusta</i> , pink, June | 1 00 | 8 00 |
| " <i>multiflora compacta</i> , white, May and June | 1 00 | 8 00 |
| " <i>palmatum elegans</i> , pink, June | 1 00 | 8 00 |
| " <i>ulmaria alba plena</i> , double white, June and July | 80 | 6 00 |
| Stokesia cyanea , Stokes Aster, blue | 80 | 6 00 |
| Teucrium Canadensis , pink, July to Aug. | 80 | 6 00 |
| Thalictrum glaucum , handsome foliage | 1 00 | 8 00 |
| Thymus vulgaris , Thyme | 80 | 6 00 |
| Tradescantia Virginica , Spider Wort, blue ... | 80 | 6 00 |
| Valeriana officinalis , light pink, June to July | 1 00 | 8 00 |
| Vernonia Jamesii , Iron Weed, purple, Aug. and Sept. | 1 00 | 8 00 |
| Veronica candida , Speedwell, silvery foliage, blue flowers, June and July | 80 | 6 00 |
| " <i>circaeoides</i> , blue, June | 80 | 6 00 |
| " <i>Montana</i> , blue, June and July | 80 | 6 00 |
| " <i>teucrium</i> , blue, June | 80 | 6 00 |
| " <i>Virginia</i> , white July and August | 1 0 | 8 00 |
| Vinca major , fine rich foliage | 80 | 6 00 |
| Vinca minor , Periwinkle | 75 | 5 00 |
| Viola odorata , Blue, Sweet Violet, April and May | 1 00 | 8 00 |

Hardy Ferns

| | | Per 10 | Per 100 |
|---|-----|--------|---------|
| <i>Aspidium acrostichoides</i> , Christmas Fern | ... | 1 00 | 8 00 |
| “ <i>marginale</i> , Marginal Fern | | 1 00 | 8 00 |
| “ <i>spinulosum</i> | | 1 00 | 8 00 |
| <i>Asplenium angustifolium</i> , Narrow-leaved Spleenwort | | 1 00 | 8 00 |
| <i>Onoclea sensibilis</i> , Sensitive Fern | | 1 00 | 8 00 |
| “ <i>Struthiopteris</i> , Ostrich Fern | | 1 00 | 8 00 |
| <i>Osmunda cinnamomea</i> , Cinnamon Fern | | 1 50 | 10 00 |
| “ <i>Claytoniana</i> , Flowering Fern | | 1 50 | 10 00 |
| <i>Polypodium hexagonopterum</i> | | 60 | 5 00 |

Hardy Grasses

| | |
|---|------|
| <i>Bambusa Metake</i> , Evergreen Bamboo | 2 50 |
| <i>Calamagrostis stricta variegata</i> | 80 |
| <i>Eulalia Japonica gracillima</i> | 2 00 |
| “ <i>Japonica variegata</i> ; green and white striped | 2 00 |

THOMAS H. DESMOND,

Landscape Designer

711 MAIN ST., HARTFORD, CONN.

Member of the American Society of Landscape Architects

October 26, 1914.

Thomas Meehan & Sons,
Dresher, Pennsylvania.

Gentlemen:—

The trees and shrubs which you shipped to Simsbury on my order, have been received and are planted. I wish to express the entire satisfaction of both my client and myself with the quality of the goods and the thorough packing. Without question it is the best looking shipment of goods of this class that it has been my pleasure to handle. Had it been otherwise I should not have hesitated to advise you, and therefore feel it is only fair to let you know it was entirely satisfactory.

Very truly yours,

THOMAS H. DESMOND.



Shade Tree Commission. CITY OF EAST ORANGE, NEW JERSEY

Aug. 24, 1914.

Thomas Meehan & Sons,
Dresher, Pa.

Gentlemen:-

I am sending you some photos I have just lately made of the Yellow-twisted Lindens, as they will convey to you the true appearance of these trees better than anything I can possibly say. The trees were furnished by you and planted in the Fall of 1911, on Kenwood Place. There are seventy five trees, in perfect condition, not having lost a single tree. The trees are very uniform in size and make a beautiful showing, and I predict that this will be one of the most beautiful streets in East Orange.

Yours very truly,
(Signed) Ernest H. Bennett,
Supervising Foreman.

The Robinson Press, Hatboro, Pa.

Office of City Forester, Baltimore, Md.

June 17th, 1915.

Thos. Meehan & Sons, Drexler, Penna.

Gentlemen:

In the Spring of 1908 our Park Board purchased of you some 600 European Lindens of 3 to $3\frac{1}{2}$ inch calliper. In 1911 they bought from you another lot of 326 trees of same variety and size. These trees were planted on Charles Street (extended) between 29th Street and University Parkway, and during the past four or five years I have had the opportunity of watching their development. The loss in this planting has been practically negligible and the growth of the trees has been altogether satisfactory. I consider this tree an admirable one for street and park planting, and that its good points places it in a class above the average of our shade trees. I am so pleased with the species that I have used it in the planting of several of our fine streets during the past few years. I have every reason to continue my faith in the trees and hope to use some more of them as our funds here will permit.

R. BROOKES MAXWELL, City Forester.

